SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyright, 1904, by Munn & Co.]

Vol. XCI.—No. 13.
ESTABLISHED 1845.

NEW YORK, SEPTEMBER 24, 1904.

[5 CENTS A COPY
$3.00 A YEAR.



The portion of the dam here shown was originally to have been built of earth with a central core-wall. It is now for greater safety being built of masonry. The steel erecting towers are being built into the structure as it rises in height.



View Along the Crest of the Croton Masonry Dam, Showing the Spillway in the Foreground. Height of Crest of Dam Above Foundation, 297 Feet.

COMPLETING THE GREAT MASONRY DAM OF THE NEW CROTON RESERVOIR.—[See page 214.]

SCIENTIFIC AMERICAN

ESTABLISHED 1845

MUNN & CO., - - Editors and Proprietors

Published Weekly at

No. 361 Broadway, New York

TERMS TO SUBSCRIBERS

One copy, one year for the United States, Canada, or Mexico $3.00
One copy, one year, to any foreign country, postage prepaid. £0 16s. 5d. 4.00

THE SCIENTIFIC AMERICAN PUBLICATIONS.

Scientific American (Established 1845).....$3.00 a year
Scientific American Supplement (Established 1876) ..... 5.00 "
Scientific American Building Monthly (Established 1885)..... 2.50 "
Scientific American Export Edition (Established 1878). ..... 3.00 "

The combined subscription rates and rates to foreign countries will be furnished upon application.
Remit by postal or express money order, or by bank draft or check.
MUNN & CO., 361 Broadway, New York.

NEW YORK, SATURDAY, SEPTEMBER 24, 1904.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are *sharp*, the articles *short*, and the facts *authentic*, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

THE FORLORN HOPE OF THE BALTIC FLEET.

In view of the utter wreck of Russia's naval strength in the Far East, and the probability of the early capture of Port Arthur and blockade of Vladivostock, there was something almost pitiful in the elaborate ceremonies attending the recent departure of the Baltic fleet for the Orient. There can be no doubt about the official character of the dispatch of the fleet, for it was witnessed and sanctioned by the Emperor, attended by the High Admiral and other noted officers of the Russian navy. The Admiral commanding the fleet, with due ceremony, boarded the imperial yacht and bade his farewell to the Emperor. Then, with destroyers ahead and abeam, the "Kniatz Suvaroff," one of the brand-new battleships, led the way down the Gulf of Finland to the tune of booming guns, the shouts of the populace upon the water fronts and piers, and the fluttering of many signal flags wishing good luck to the fleet on its long voyage.

In the press dispatches speaking of the event it was announced that the fleet would merely touch at Libau, where it would be joined by twelve transports, colliers, and supply ships, and that it would then proceed direct to the Orient. The fleet reached Libau. It is there at the present writing; and the latest dispatches have conveyed the inevitable tidings that for the present, it will remain there, its departure being dependent upon the development of events at the seat of war.

As for the fleet itself, it is certainly formidable, if only for the reason that it contains four new battleships, just completed, which are practically sister ships to the "Czarevitch," and, therefore, are to be reckoned as among the finest battleships afloat to-day. It is these ships, with the "Osliabya," and they alone, that could have any serious effect upon the issues of the naval campaign in the Far East; for the situation out there is such that the two out-of-date second-class battleships "Navarin," launched in 1891, and "Sissoi Veliky," of the same speed, launched in 1894, would be more of a hindrance than a help to the newer ships in any engagement against the seasoned, powerful, and victorious battleships of Japan. The same may be said of the odd assortment of cruisers that make up the balance of the fleet. There is the old "Admiral Nakhimoff," nineteen years old and good only for 17½ knots at her best, and the "Dmitri Donskoi," launched twenty-one years ago, and steaming well if she can make 15 knots an hour. These are armored cruisers; but the armor is of the old compound type, soft as butter to the high-velocity guns mounted by the modern Japanese armored cruisers. It is true there are three fast, unprotected cruisers, the "Oleg" and "Aurora," sisters respectively to the "Bogatyr" and "Pallada," and the "Almaz," sister to the "Novik;" but in the present stage of Russia's fortunes in the Far East, which can be retrieved only by the most desperate kind of fighting in line of battle, unprotected cruisers are merely "food for powder."

Let us suppose, however, that the Russians should have the fatuity to send this hastily-gotten-together and heterogeneous collection of ships out to the Far East, and that it should arrive there. Where would it rendezvous? Port Arthur would in all probability be in the hands of the enemy; while, if the siege were still in progress, the Russian fleet would have to fight its way through Admiral Togo's line of battle before it could gain the harbor—a line of battle composed of five of the most powerful battleships and eight of the best armored cruisers afloat; a fleet trained to the hour, manned by crews that are seasoned and expert, thoroughly familiar with their ships, knowing exactly what they can do. What the Russian fleet at Port Arthur, more powerful and fresh from its base, failed utterly to accomplish, will never be accomplished by a less powerful fleet that makes the same attempt at the end of a long and exceedingly trying voyage of several months' duration.

If the Baltic fleet should leave Libau and actually start for the Far East, it will mean, in the judgment of the naval experts of the world, that Russia, after losing the flower of her navy in the first campaign of the war, is merely sending the remnants to a similar and very certain fate. The damage already wrought by the prowess of Japanese arms has moved Russia down from third position among the navies of the world to fifth position. If the Baltic fleet should ever reach the Far East, the venture would in all probability end in Russia's losing what claims she now has to be reckoned a first-class naval power.

A GRAVE RESPONSIBILITY.

During the last administration the Municipal Art Commission of this city was called upon to pass upon a set of plans for a city bridge, to be known as the Manhattan Bridge, for which an appropriation of $7,600,000 was asked by the Bridge Commissioner.

Realizing the great importance of the bridge, and the necessity of securing a structure that was perfectly fitted for its work, Mayor Low appointed a commission of disinterested bridge engineers to pass upon the merits of the structure. This was done; and the commission of engineers, all being of international reputation, indorsed the plans. The appropriation of $7,600,000 was passed by the Board of Estimate and Apportionment; but when it came before the Board of Aldermen, that body refused the appropriation, without giving any logical reasons for their reprehensible action in delaying such an urgently-needed work. The expert testimony (if such it can be called) before the aldermen was given by an employee of the Bridge Commissioner, who left his desk to go to this meeting and condemn the plans of his superior, who, by the way, is recognized among engineers both in America and Europe as the leading authority on the design of long-span suspension bridges.

For this gross act of insubordination the employee was promptly and very properly discharged.

At the change of administration, the Commissioner was succeeded by a gentleman, who has not and does not profess to have any knowledge of bridge engineering, and he promptly installed the discharged employee in the responsible position of Chief Engineer of Bridges, a post which under the former administration was filled by the Commissioner himself.

The first act of the Commissioner and his new chief was to discard the plans, which, designed by the leading expert on such structures and indorsed by a disinterested commission of experts, had been passed by the Art Commission.

The next step was to draw up a preliminary sketch of a bridge costing $2,500,000 more than the discarded bridge, and taking one and a half years longer to build, and submit this raw proposal to the Art Commission for their approval.

It was at once pointed out to the Art Commission by the engineering and technical press that, before they passed upon these plans, they should, following the precedent set by Mayor Low, request the present mayor to appoint a commission to inspect the new plans, and decide whether they were preferable to the accepted plans.

The latest protest against the action of the Bridge Commissioner was made by the Merchants' Association of New York, during a hearing granted by the Art Commission to that body, in the course of which it said:

"There has been and still is very serious difference of opinion between the present Bridge Commissioner, unsupported by outside engineering ability, and the former Bridge Commissioner, supported by the findings of the expert commission to which his plans were submitted, as to the relative effectiveness, cost, and speed of construction under the respective plans.

"In view of these facts, the Merchants' Association, which does not pretend to any engineering knowledge and does not, therefore, favor one set of plans as against the other, most strongly urges upon your Commission that the approval by you of the plans prepared by the present Commissioner of Bridges be withheld until both sets of plans shall be submitted in detail, with specifications and strain sheets, to disinterested engineering experts of at least as high standing as those who passed upon Commissioner Lindenthal's plans. In this way the controversy as to the strength, cost, durability, and speed of construction of both plans would be decided by technical men of standing and reputation, whose decision would command the confidence of the whole community.

"Should your honorable Commission decide to approve Commissioner Best's plans without submitting them to expert engineers, the whole responsibility, both for the successful completion and operation of the bridge, and for any disaster which might occur thereon as a result of inherent engineering weakness, will rest upon your shoulders, because the approval of your Commission is necessary under the law before construction can commence. Your Commission, therefore, is the only body which can compel the submission of the plans to expert engineers for decision as to their relative merits."

In spite of the obvious contradiction involved in the repudiation by the Art Commission of properly-authenticated plans that they had already indorsed, in favor of imperfect plans lacking any engineering indorsement, the Art Commission has seen fit to accept the new plans.

We certainly agree with the Merchants' Association in the opinion that the Commission has assumed a grave responsibility in authorizing this important public work under circumstances that must be very discouraging to the friends of good government in the administration of city affairs.

For what good reason does the Art Commission, after accepting the findings of an expert investigation of a bridge designed by a competent engineer, now refuse to ask for a similar investigation of the undigested plans of a man who was a comparatively unknown subordinate in that engineer's office when those first plans were made?

PROPOSED AMENDMENT PERMITTING THE EXTENSION OF THE TERMS OF PATENTS.

At frequent times, we see many incidents which furnish the best evidences of the high esteem in which the inventors of our country are held, and the duty which the public recognizes of assisting in the perfection of our patent system, to enable inventors to secure the protection which, from the earliest days, our statesmen believed to be their due. It is deemed to be only just that an inventor who has added to the technical knowledge of the public, and has enabled the wants of the many to be better or more economically satisfied, should be suitably rewarded. In giving the inventor, for a time, a monopoly of the device, a knowledge of which he has furnished to the public, the reward is commensurate with the value of the knowledge furnished by the inventor, provided the term of the monopoly is reasonable.

In the several patent laws which have been enacted, the terms for which patents were granted have varied, and it has been evident that there is a difference of opinion on the question of the time during which the inventor should have the exclusive right to the patented invention; but on closer investigation, it will be found that this, in a measure, is because of the facts in particular cases. While, usually, the term of seventeen years, which is the period of the grant of a patent under our present law, is sufficient to recompense an inventor, and the difference in the returns will be in proportion to the value of the knowledge furnished to the public in the Letters Patent, it is found that, in particular cases, because of lack of capital, the necessity of using the invention in connection with another patented device the patentee of which will not make reasonable terms, the difficulty in procuring raw material, or other causes, inventors have been unable to receive the expected return, and that in those cases, to do justice it is necessary to extend the otherwise definite term in which they may reap their reward.

Earlier enacted patent laws of the United States permitted patentees who, through no failure on their part, had been unsuccessful, during the term of the patent, in obtaining a reasonable reward, to have the term extended. The last law permitting such extensions was repealed in 1861, since which time it has been impossible to have the monopoly extended, except by a special act of Congress. The injustice arising under the present law has led to an agitation to create a sentiment in favor of an amendment which will reenact provisions of the law enabling inventors in special cases to have the life of their patents prolonged. The members of the American Bar Association have been communicated with concerning the proposed amendment, and they appear to be unanimously in favor of the change in the law. The question is now being submitted to the patent solicitors and specialists of the United States, and at the meeting of the American Bar Association, to be held shortly at St. Louis, a resolution in favor of the change in the law will be submitted for the vote of the members present. Considering the replies which were received to the letters previously addressed to them, the vote of the members of the American Bar Association will undoubtedly be favorable to the proposed amendment.

As the members of Congress, who have been interviewed concerning the proposed change in the law, seem to be decidedly in favor of extending the privileges granted to inventors, it is likely that the amendment will, at the next session of Congress, be enacted.

TRUNK LINES AND TROLLEYS IN THE EAST.

The announcement that the New Haven road will spend $8,000,000 for the improvement of its suburban service near New York is of special interest to electricians, for of the six tracks entering the city limits four will be of the third-rail electric type, two for local trains, and two for express trains to run under a fifteen-minute headway. The land for the new tracks has been secured, but plans are not completed either for the installation of the electric lines or for the equipment of the road with electric cars and locomotives. However, the general plan will be to connect local electric trains with the underground electric road of the

new city subway, and to give commuters thereby a convenient method of traveling from the business section of the city to their suburban homes.

This completely revolutionizing scheme of one of the oldest roads in the East, taken in connection with the installation of the Fourth Avenue tunnel with electricity by the New York Central, indicates pretty clearly that the trunk lines in the East are entering the electrical railroad field in order to save their traffic from complete demoralization by the trolleys. The struggle between the two systems of transportation, steam and electricity, is thus likely to terminate in the general adoption of the latter for nearly all work except possibly the long-distance through express service. Eventually this may also be changed to follow in the line of progress; but at present it is impossible to predict its future.

In New England the trolleys have intersected the country so that passengers can go from one town to another without once riding on the steam roads, and in most cases the two lines run parallel. The trolleys in nearly all such instances have robbed the steam roads of their local, short-distance traffic. The latter tried the expedient at first of reducing fares to compete with the trolleys, but this proved of little avail, for the trolleys were more convenient and satisfactory for a ride of five or ten miles than the steam cars. The time table of the latter would have to be revised so that trains would have to run every five or ten minutes to hold this local, short-distance traffic.

The changed attitude of the steam roads indicates now that they will enter extensively into the work of building trolley roads as feeders to their main lines. Towns and cities a few miles back from the steam roads are being connected rapidly by short trolley roads built and operated by the steam roads. These trolleys run to meet all trains, and passengers thus find it convenient for them to connect with trains at the least possible expense and trouble. Formerly only stages connected these towns with the steam roads, and their isolated positions inland retarded their growth tremendously.

The effect of this enlightened system has already been noticeable. Towns and villages that possessed unusual natural surroundings, but owing to their location inland were out of touch with the rest of the world, have suddenly increased in population and business enterprise. Some of them have actually doubled in population within three years owing to their direct connection with the steam roads by trolley feeders. Summer visitors have flocked there, so that their former stagnant life has been completely revolutionized.

It is apparent that most of the eastern roads have within the current year reached the conclusion that they must wake up and adopt new policies. They cannot run counter to public demands much longer when the latter have the electric roads to use as a final weapon to force them to compliance. The New York Central and the New Haven roads have both entered extensively in the electrical field all along their extensive routes. In some instances they have bought up the different trolley systems, or secured control of them so they would no longer compete with the steam roads, but act as feeders to them.

Several of the eastern railroads have gone far in the past few months in building feeders to their lines, and incidentally forestalling private trolley companies in constructing new systems in localities where the traffic is now small. The question of establishing motor cars as feeders has been tried in England by the Great Western Company, and the same subject has been brought up here for consideration. In parts of the country where no trolley roads are to-day built, the motor cars might connect small hamlets with large towns on the line of the railroad, and thus promote better traffic. The English motor cars used for this service between the Lizard and Helston station, in Cornwall, accommodate 32 passengers, and since they have been in operation they have proved profitable. A similar service was tried this summer at several of the beaches by the New Haven road. The beaches had natural advantages that should make them popular, but no company had yet built trolleys running to them. It is doubtful if the summer traffic would be sufficient to make a trolley line profitable for the whole year, for the travel is confined chiefly to the three or four summer months.

The New Haven road started a line of motor cars from the nearest station to the beaches, connecting with the principal trains running to the cities. The result has been that the traffic to the beaches more than doubled this year, and at the present rate of increase the summer population should almost warrant the building of a trolley line within another year or two. The success of such summer motor cars as feeders to the main railroad lines has the further advantage of opening up new territory and laying the foundations for future trolleys. It is possible to ascertain the relative value and possibilities of a new route by installing such a motor car line. If the natural advantages of the place are sufficient to attract summer visitors when a good service is provided, the projection of a trolley line is merely a matter of a year or two. Next summer the New Haven road promises to develop many new beaches and isolated routes by this method, and if the traffic increases, trolley lines under the steam road's control will follow.

Even the question of the trackless trolley has received consideration in the past. Awakened from their long sleep, the railroads are looking around for every possible improvement and development that will place them abreast of the times. Having adopted electricity as an auxiliary motive power, it is only natural that they should seek to utilize it whenever possible.

The trackless trolley has been tried in Germany, but whether the greater cost of operating the cars over dirt or macadamized roads instead of on rails will not more than offset the expense of building tracks is a question that cannot be answered. There are, however, companies who believe otherwise. Within the past month two or three independent companies have been organized for experimenting with the trackless trolley. The application for a charter to use the turnpike for such a trackless trolley was denied the past month in New Jersey because there was no existing law which could control the operation of the cars. It was the legal opinion that the trackless trolley was neither a railroad, nor yet a vehicle in the ordinary sense of the word. Consequently until some new law was passed to control the trackless trolley, it would be wise to refuse to issue a charter for using the right of way of a public road. However, this short-sighted legal view of the matter will not be final if the trackless trolley can be proved to be of value in the development of the country.

Unquestionably the trackless trolley should prove an effectual feeder to the railroads in many parts of the country where small towns and villages are located off from the main lines of traffic, provided the cost of operation is low enough to justify this method of propulsion. The roads must be firm and smooth the greater part of the year to make the service of any value, and as a result they must be macadamized or securely built so that the drainage is perfect. Muddy winter roads would put the trackless trolley out of service about as quickly as anything. The snow problem would have to be considered also, for while it might be easy to clean the tracks of snow, sleet, and ice, it is quite another proposition to keep the whole side of a turnpike free of obstacles. There would also arise many problems regarding the right of way. Not every teamster or driver of an automobile would yield to the trackless trolley car the best part of the road, and trouble and confusion, with resultant litigation of a costly nature, might follow to involve the company.

However much these side issues of the general movement of the steam roads to adopt electricity may seem exaggerated and uncertain in their ultimate good, it cannot be denied that the old struggle between the trolley and steam railroad in the East is entering upon its final stage, which is nothing less than the capitulation of steam and electricity. The latter has proved too formidable for the former, and it is rapidly being adopted by the most conservative of steam railroad corporations, not simply for city tunnels and bridges, but for suburban traffic, country short-haul feeders, and even for express service in certain sections.

THE NEW YORK SESSIONS OF THE EIGHTH INTERNATIONAL GEOGRAPHIC CONGRESS.

The Eighth International Geographic Congress began its first convention in the United States at Washington, September 8, and continued it at Philadelphia, New York, Niagara Falls, Chicago, and St. Louis during the succeeding fortnight, under the presidency of Commander Robert E. Peary, U. S. N. The honorary presidency of the congress was held by President Theodore Roosevelt.

In New York the congress was the guest of the American Geographical Society, and the sessions were held at the house of the society in West 81st Street and in the halls of the American Museum of Natural History on Tuesday and Wednesday, September 13 and 14, while Thursday, the 15th, was devoted to an excursion up the Hudson to Mount Beacon and to West Point, closing the sessions in this city.

The days were devoted to the scientific programme, in which many papers of interest and value were presented, and of which an extended report will soon appear in the SCIENTIFIC AMERICAN SUPPLEMENT. The convention here began with a general session Tuesday morning in the lecture hall of the American Geographical Society, at which Commander Peary gave the visiting geographers, who numbered some 300, a cordial welcome to the city, and then introduced the general programme, which for the morning consisted of addresses on Deep Sea Deposits, by Sir John Murray; on the Volcanoes of Martinique, Guadeloupe, and Saba, by Dr. E. O. Hovey; and on the Rise and Development of the German Colonial Possessions, by Graf Joachim von Pfeil.

The sectional meetings began in the afternoon, and at these the numerous papers of the convention were read in full or by title. The sections meeting here and their officers were: Oceanography, William Libbey chairman, R. A. Harris secretary; Exploration, H. G. Bryant chairman, H. L. Bridgman secretary; Economic Geography, E. R. Johnson chairman, C. W. Hall secretary; Educational Geography, Charles R. Dryer chairman, E. C. Jones secretary; Volcanoes and Earthquakes, Charles H. Hitchcock chairman, E. O. Hovey secretary.

Tuesday evening a public lecture complimentary to the congress and the society was given in the auditorium of the museum by Dr. and Mrs. W. H. Workman on their recent high ascents among the Himalayas and the glaciers of those mountains. Dr. Workman has established the record for high altitude on land, attaining an elevation of 23,397 feet, and Mrs. Workman's record is only two thousand feet less. A brilliant reception at the house of the society followed the lecture.

The dinner of the congress was held Wednesday evening at the Endicott Hotel. This was complimentary to the foreign delegates, and was largely attended. In the course of the dinner Commander Peary announced that his plans for another attempt at the North Pole had gone so far that the keel of his new ship had been laid, and that she would be ready for use next summer. She is to be a vessel of the strongest construction, adapted particularly to the work in view, and provided with engines capable of exerting 1,500 horse-power. A feature of the evening was the presentation to Commander Peary of the gold medal awarded to him by the Paris Geographical Society for his Arctic researches.

Among the celebrities present may be mentioned Sir John Murray, of the Scottish Geographical Society; Prof. A. Penck, of Vienna; Dr. H. R. Mill, of London; Graf Joachim von Pfeil, of Berlin; Major A. St. H. Gibbon, of London; Profs. H. Cordier and G. Grandidier, of Paris; M. de Claparède, of Geneva; Dr. Bela Erödi, of Buda-Pest; Prof. A. Marcure, of Berlin; Prof. Oberhummer, of Vienna; and Prof. J. Thoulet, of Nancy. About 120 foreign delegates were in attendance, and the total registration was about 800. The next convention of the congress, five years hence, will be held in Geneva, Switzerland.

SCIENCE NOTES.

Prof. Constantine Gregory, of Naples, has invented a new chemical process for the preservation of flowers and foliage. When the professor submitted the results of his first experiments to the Neapolitan Institute for the Advancement of Science, a few weeks ago, the association, after carefully examining them, requested the preservation of some plants which they described, and which in their opinion presented the greatest difficulties owing to their peculiar nature. The professor completed the trial set before him, and he has presented some splendid examples of begonia and orchid leaves which have a remarkable natural appearance. In recognition of this work he has been awarded the silver medal of the institute. The professor is now engaged upon the extension of his invention to fungi, and in the event of his achieving success he will be presented with the society's gold medal.

In a recent number of La Energía Eléctrica, A. Sandaran describes a new method of testing the molecular state of locomotive axles and other iron and steel pieces, this method being based on the magnetical properties of iron and steel, and intended to reveal any injury these pieces possibly have undergone in operation. From the principles of magnetism, it is inferred that when testing an iron or steel piece before commencing work, the graphical representation of a magnetizing cycle will afford an illustration of the magnetical properties of the piece concerned. Now the axles of locomotive and railway carriages, as well as other machine pieces, are exposed in operation to such vibrations and shocks as to become brittle, when the fracture will show a crystalline structure. At the same time the magnetical residual phenomena are diminished, the iron piece assuming the normal average state as corresponding with the magnetic force, its hysteresis being diminished and the ascending and descending branches of the induction curve differing from each other to no material degree. Between the magnetizing curves of an axle or another iron piece as recorded at different periods of operation there may thus be noted important differences, a magnetical investigation of the piece in question allowing of conclusions being made as to its present safety, and of stating whether any abnormal alteration such as an internal fracture has occurred.

The last 100-foot crib, which forms the foundation of the new government breakwater at South Chicago, was recently put in place and sunk by the contractors. The pier when completed will extend 6,900 feet from the shore of the north side of the Calumet River, and form a complete protection from north and northeast storms.

THE MANUFACTURE OF WALL PAPER.

BY W. FRANK M'CLURE.

The interesting industry of wall-paper making begins with the drawing and hand coloring of the multitudinous designs which are to decorate the walls of American homes. This is followed by the transferring of these designs by pattern makers to wooden rollers, then the skillful mixing of the paint, the applying of the background to the rough paper, and subsequently the printing of the colors by machinery. The rough paper from the pulp mills comes in huge rolls not unlike those used in the office of a metropolitan newspaper. Much of the clay used in mixing the paints is brought from Georgia.

The wall paper designers are already at work upon the designs of 1906. The styles in wall paper change every season, and the designers work a year and a half and sometimes two years in advance. The designing room is to the majority of visitors to a wall paper factory the most interesting department of all. It is here that the pattern makers are at work, reproducing with brass and felt the designs upon the hard maple rollers. When the designs have been sketched and painted by hand, they very closely resemble the finished wall paper product. Into the wood of the rollers a thin brass tape is driven. This brass tape can, of course, be easily shaped to follow the pattern. The felt is packed within the space which the brass tape encircles. When the patterns have been completed, they are all properly numbered and go to a pattern block room. There are three distinct sets of these rollers necessary in the making of a complete pattern for a room—one set for the sidewall, one for the border, and one for the ceiling. The cost of making a new pattern is often more than $500. A large factory usually carries at least one hundred complete room patterns, which with the different combinations of color admits of many hundreds of variations in the finished product. One of the accompanying photographs clearly illustrates a pattern block room.

The making of the paints which are to decorate the wall paper is one of the most important branches of the work, for very much of the completed appearance of the paper depends upon the skill with which the tints are mixed and in keeping the mixture uniform throughout the printing of the different patterns. The white clay which forms a most necessary portion of the tinting mixtures is first ground to a powder. The clay is used chiefly in the paints for backgrounds, and in this mixture boiled glue is used as a sizing. In the making of tints for the subsequent decorations, oxide of zinc is extensively used, with potato dextrine for sizing.

Before going to the giant presses for the great mechanical operation of printing numerous colors at one time, the background must be applied by the brushes of a large mechanical device, through which the white paper passes as it comes from the huge rolls, each one of which, by the way, contains sufficient paper for 200 or 300 finished rolls. As the paper leaves this machine it is carried for some distance on racks, which allow it to hang in folds. Beneath its path on this trip are steam pipes, which together with the hot air that is blown into the folds, serve to dry the coating of paint which has just been applied. The paper is next returned over the same route by the aid of a cloth web, and goes at once into the color-printing machines.

The large cylinder of the printing machine receives the paper, and it is soon brought in contact with the various rollers or pattern blocks, each color being applied by a separate roller, which of course revolves in accurate register upon the paper. The paper passes through the machine but once, receiving at this one run any number of colors up to twelve. As the decorated paper comes from this machine, it is again carried in festoons or folds over steam pipes, after which it is reeled into bundles of 200 rolls each. By the register on each printing machine it is possible to ascertain at any time just how many rolls of paper have been printed of a desired pattern. Finally the bundles are unrolled and made into lengths of sixteen yards each, which is equivalent to a double roll of paper. Usually a force of girls is employed in winding the double roll lengths upon spindles, twenty-five of which lengths go to make a bundle, which when tied is ready for shipment. In cutting the long rolls into pieces, each 16-yard length is determined by a mark automatically placed upon the roll while it is passing through the printing press.

Large wall-paper factories operate from ten to twenty printing presses, each having a daily output of some twenty miles of wall paper. The annual output of an entire factory sometimes exceeds 25,000,000 rolls.

The prices of wall paper vary from a few cents up to dollars per roll. Few families nowadays are so poor but their homes may be rejuvenated from time to time with pretty wall paper. The cost is not dependent upon the number of colors which have been applied to the paper, but more upon the quality of the paper used. The demand for wall paper in this country is increasing with each year.



Where the Pattern Blocks Are Kept.

A Corner of the Paint-Mixing Room.

Designers at Work Making Patterns of Wall Paper to be Used Two Years Hence.



This Machine Applies Twelve Different Colors at One Time to a Roll of Wall Paper.

THE MANUFACTURE OF WALL PAPER.

M. Max. Wolf, in the Bulletin of the Société Astronomique de France, treats of the observation of nebulæ, and states that the study of nebulæ of great extent, like that of Orion, has become much easier since the use of objectives of short focus for star-photography. In the course of his observations he brings out the remarkable fact that the great nebulæ are always surrounded by spaces which are nearly empty and thus form a veritable stellar desert, as was already pointed out by Herschel. But M. Wolf finds that the empty space lies on only one side of the nebula, and in this space the stars of low magnitude are entirely wanting. Only a few rare and brilliant stars are to be found. It seems that the nebula has grouped all the smaller stars around its center. He cites a number of the great nebulæ which verify this law. But the nebula of Andromeda and the spiral nebulæ do not follow the same order, and apparently should be placed in a different category.

A REASONING HORSE.

Hardly a day passes but the newspapers have something to say of the wonderful mental performances of "clever Hans," "*der kluge Hans*," as Herr Von Osten's stallion is called. Indeed, some wordy controversies have been waged over him. Some hold that he actually reasons; others skeptically assert that his intelligence is simply the result of ingeniously concealed trickery on the part of his trainers. An investigation conducted by scientists, however, would seem to indicate that the horse is really what his owner claims him to be, an intelligent four-footed animal, capable of making simple arithmetical calculations, and even of ratiocination. Dr. Heinroth, of the Berlin Zoological Garden, has this to say of Hans' wonderful feats in a recent number of the Illustrirte Zeitung:

"For many years Herr Von Osten, who was at one time a tutor of mathematics, has made it his task to determine the intellectual possibilities of a horse. His first stallion, with whom he succeeded in doing remarkable things, died at the end of eight years. Hans, his second acquisition, has been under his care for four years. Von Osten has no desire to sell the horse or to display him for money in public. He is instructing him in the interest of science alone.

"In my presence Von Osten asked the horse to add such sums as 6 + 2 and 4 + 3. The horse indicated the correct answers by stamping with his right fore-hoof. It is to be remarked that during the calculations Von Osten feeds Hans with carrots. Von Osten declares that without the carrots the horse would refuse to work. Hans has never felt the touch of a whip. This, after all, is not very strange; for, as Von Osten puts it, carrots are to Hans simply what honors, titles, rank, and money are to men.

"I asked 'What are the multiples of 12?' The answer came almost immediately. Sums such as 72 + 14 are correctly given. The actual words (in German) 'What is the difference between 43 and 67' were read, and the answer immediately pawed. No numerals appeared on the blackboard. Surely, this is more than the trickery of training. It should here be mentioned that questions can be put by any bystander. Hans is able to convert common fractions into decimal fractions. He can also tell time by the clock. If he is asked, 'It is now 40 minutes after 12; how many minutes will elapse before one o'clock?' he immediately answers with twenty strokes of his hoof. These are simply a few among a great number of questions that were put.

"Hans knows the coin of the realm and the value of playing cards. King, queen, ace, and the like are differentiated by the hoof. He picked out a badly-worn German 50-pfennig piece from several coins. From a number of pieces of colored cloth laid upon the ground he will select any color he is ordered to choose. 'Is it green?' you ask. Five strokes of the hoof is the reply; and the fifth cloth proves to be green. The colors may be changed in any manner; still the horse will pick out the correct one."

Dr. Heinroth concludes his article by stating that he is quite convinced of the impossibility of any deception. He has questioned the horse in his stall in the absence of its owner, and he has received answers as clear cut and as precise as those given in the presence of Von Osten.



The Reasoning Horse "Hans" and His Owner.

"Hans" Answering an Arithmetical Question by Pawing With His Hoof.

A REASONING HORSE.

Some figures have been published on the production and commerce of quinine. According to the report of the chief of the government plantations in British India, the Madras government produced 15,711 pounds of quinine in 1902, and the Bengal government 11,927, making a total of 27,638 for India. Java produced and exported 43,750 pounds. As to the exportation of bark for 1902, Java heads the list with 14,726,000 pounds, followed by India with 2,020,000, Ceylon with 407,000, South America 775,000, and Africa 180,000, making a total of 18,108,000 pounds. This represents the bark which has been supplied to the trade, and it is estimated to contain 861,810 pounds of quinine. Adding these figures to the above-mentioned quantity produced in India and Java, we have a total of 933,200 pounds, which represents the total amount of quinine produced in 1902. As to the quinine-producing establishments, there are 5 in France, 3 in England, 2 each in Germany and Italy, one each in Holland, Java, Bengal, and Madras, besides those in America. The two leading markets are Amsterdam and London, but the latter has become less important since the development of the Java production.

WHEN WAS THE PHOTOGRAPH TAKEN?

BY PROF. WILLIAM F. RIGGE.

I wonder what the reader will say when I show him this photograph of the Creighton University Observatory [at Omaha, Neb.] and ask him to tell me when the photograph was taken. I will allow him every liberty but one—he must not ask the photographer.

The condition is rather severe, but not worse than my own, because I do not know the photographer, nor could I after diligent inquiry find anyone who knew anything at all about the picture.

I am very fond of mathematics. It seems to run in my blood. I looked upon this picture for years, and was convinced that the shadows in it had automatically and unmistakably stamped the date and time of its taking upon the photograph. I investigated, I measured, I computed. And now I know when the photograph was taken. If the reader is willing, I will take him into my confidence, and show him how the problem was solved. I will investigate three things: 1, whether it is possible in principle to obtain the date of a photograph from the shadows in it; 2, whether it is possible in practice; and 3, how closely our results are to be trusted.

The direction in which the shadow of an object is cast evidently depends upon the sun's position in the sky, and ought therefore to serve as a means to obtain this position. Now, the twofold motion of the sun is causing it continually to change its position: the diurnal motion is carrying it about in a circle whose center is at the celestial pole, the annual one is carrying it toward or away from the celestial equator. As these two motions are independent of one another, every determination of the sun's position by means of a shadow it casts ought to give us its place in both of these orbits, that is, give us the time of the day and the day of the year. Fig. 2 will show us how this is done.

Let us imagine the heavy line *AB* to be the shadow cast upon a horizontal surface by the vertical rod *OB*. With the radius *AO* let us describe a miniature celestial sphere about the point *A* as a center. Let *NESW* be the great circle of the horizon with its cardinal points, and *NPZS* that of the meridian. *Z*, vertically over *A*, will be the zenith, *O* will be the sun's position, and *P*, so taken that the angle *NAP* is equal to the latitude of the place, will be the celestial pole. The points *Z*, *P*, *O*—zenith, pole, sun—are the vertices of the great astronomical triangle with which we must become acquainted. The side *PZ* is the complement of the arc *NP*, which is equal to the latitude of the place. The side *PO* is the sun's polar distance, and is the complement of its declination, or of its distance from the celestial equator. The side *ZO* is the sun's zenith distance and the complement of its altitude *OH* or of the angle *OAH*. The angle at the pole, *ZPO*, is called the sun's hour angle, and is proportionate to the time elapsed since the sun crossed the meridian. The angle at *Z*, *PZO*, or its equal *NAH*, is the sun's azimuth, or bearing, as a surveyor would call it, reckoned from the north point of the horizon. The angle at *O*, *POZ*, is called the parallactic angle. We have no need of it in our discussion. In this triangle the hour angle *ZPO* determines the sun's position in its diurnal orbit and gives us the time of day; the side *PO*, the complement of the sun's declination, determines the sun's position in its annual orbit and gives us the day of the year. The measurement of the shadow *AB* of the rod *OB* must, therefore, in some way give us the angle *ZPO* and the side *PO*. It does so indirectly. Spherical trigonometry teaches us that if any three of the six parts (three sides and three an-



Fig. 1.—WHEN WAS THIS PICTURE TAKEN?

gles) of a triangle are given, the other three are thereby implicitly and definitely determined and can be found by computation. Now we have three such parts given in the triangle *PZO*. The first is the side *PZ*, the complement of the latitude of the place where the shadow is cast. The second is the angle *PZO*, the sun's north azimuth, the supplement of its south azimuth *OZS* or *HAS* or *BAD*. This latter angle *BAD* is determined in the right plane triangle *BAD* by the sides *BD* and *AD* (or *CB*), the distances which the shadow falls east [or west] and north [or south]. And finally the third part is the side *ZO*, the complement of *OH*, or of the angle *OAH* or *OAB* the sun's altitude, this latter angle being found in the right plane triangle *OAB* by the sides *OB* and *AB*. Hence a measurement of the position of a shadow with respect to the object that casts it, that is, of the distances *BD*, east or west, *BC*, north or south, and *BO*, downward, or of its three space co-ordinates, as a mathematician would name them, will furnish us with all the data necessary and will determine the day of the year no less than the time of the day when the shadow occupied that particular position. It is evident that the object casting the shadow need not be a vertical rod, nor that the shadow should fall upon a horizontal plane. All we need absolutely is the direction in space of the line joining the shadow and the object, that is, technically, its altitude and azimuth, these data being best determined in practice by means of the three space co-ordinates, measured by a plumbline, level, compass, tape line, or similar instruments.

We come now to the second and practical part of the problem, the actual measurement of the three co-ordinates, *BD*, *BC*, and *BO*. And here we are at once confronted by two difficulties. The first and greatest of these lies in the identification, or rather in the determination of the exact location of the shadow of a known point upon a photograph. In our reproduction of the photograph of the Creighton Observatory it will be seen that the stone coping on the west side of the meridian slit in the transit room casts its shadow very conspicuously on the window casing. The shadow falls exactly upon the middle of the flat western side of the casing and on a level with the mortar line between the tenth and eleventh bricks below the coping stone. This casing is in reality two and a half inches wide, but upon the original photograph it is only 12 thousandths of an inch. An error of one thousandth of an inch in the localization of the shadow upon the photograph would make the result uncertain by a day. The second difficulty is a minor one, and lies in the practical measurement of the three co-ordinates. This measurement is, of course, executed upon the object itself from the information obtained from the photograph. It was found that the shadow fell 31.35 inches downward, 27.70 inches eastward, and 12.25 inches northward. These data coupled with the latitude of the place, 41 deg. 16 min. 6 sec., tell us by computation that the sun's declination was 15 deg. 15 min. north and the hour angle 41 deg. 12 min. or 2 hours 45 minutes afternoon, local apparent solar time. Reference to any large and good celestial or terrestrial globe, to the Nautical Almanac, or to similar sources, shows that the sun has the declination +15 deg. 15 min. on May 2 and August 11, that is on two dates, at one of which the sun is going north and at the other going south. In order to determine which of these two dates is the correct one, we must resort to evidence other than that furnished by shadows. In our case we see upon a close examination of the original photograph, that the condition of the grass in the foreground and of the trees in the background is such as to point unmistakably to the earlier date, that is, to May 2. Now, as the sun is 3 minutes fast on May 2, and as Omaha clocks are set 24 minutes fast in order to show central time, this gives us May 2, 3.06 P. M., central standard time, as the date and time when the photograph was taken.

In order to confirm our result, let us turn to Fig. 3, which represents a part of the window casing drawn to actual size, two and a half inches wide. The line *AB* is on a level with the mortar line between the tenth and eleventh bricks, and *DE* and *FG* are on a level with the next mortar lines above and below *AB*.



Fig. 2.

C is the location of the shadow, as shown on the photograph. The long oblique line passing through *C* shows the path of the shadow on the casing on May 2 and August 11, and the position of the shadow at intervals of one minute before and after its passage through the critical point *C*. The other two long oblique lines show the path of the shadow five days before and after, and the short lines show it for every day. After making due allowance for the practical difficulties of the problem, is it claiming too much to assert that in this case the date is correct within two or three days, and the time within as many minutes? If the shadow had fallen as many feet as it did inches away from its object, would not the very day and the minute be fixed? I dare say, however, that in spite of all this evidence most of my readers would rely more upon the word of the photographer or upon actual observation than upon all the mathematics in the world. To quiet their apprehensions, let me say that on last May 2 (1904) at 3.06 P. M., central time, the shadow was at the place assigned as accurately as anybody could desire. I will also add that I had finished the computation, and proposed the problem to my students two months before.



Fig. 3.

"Oh! but you are forgetting a most essential item, the year!" the reader may exclaim.

A half-tone of this photograph of the Observatory appeared in the Creighton University catalogue in June, 1894, hence it must have been taken at the latest in May of that year. As it was evidently taken in the sunlight, perhaps the weather conditions may decide the year. The cumulus clouds in the sky, the northwest wind indicated by the weather vane, and the transparency of the air, which on the original photograph allows trees about three miles away and bluffs about six miles away to be seen with great distinctness, show that there must have been a rain a short time before to clear the atmosphere, the wind must have continued to blow from the northwest for many hours, and the barometer must have been high. Prof. L. A. Welsh, our local weather forecaster, has very kindly examined his records and they, together with those kept at our Observatory, prove beyond the possibility of a doubt that May 2, 1893, is the day we are looking for. Not only do the weather conditions shown on the photograph apply to that date in all their completeness, but they also single it out most emphatically from the preceding and following days of that year. And more than that, they also determine the year, because they cannot be made to apply to May 2 or contiguous days in 1894, 1892, 1891, and 1890, and further back than that I need not go for reasons that would not interest the reader.

If, therefore, I am asked when this photograph of the Creighton University Observatory was taken, I can answer with an assurance and an accuracy superior to that of the photographer himself if he could now be found and interrogated: Tuesday, May 2, 1893, at 3.06 P. M.

Creighton University Observatory, Omaha, Neb.

COMPLETING THE NEW CROTON DAM.

For the first time in all the many years that it has been under construction, work at the great Croton dam is proceeding with positive energy. The activity is due to a desire to finish the gap in the southern end of the dam, where recent alterations in the plans have seriously delayed the work. In explanation of the delay it will be well to briefly recite the facts.

As originally designed, the Croton dam was to have consisted of a solid masonry structure for about two-thirds of its length and of an earth dam with a center core wall for the remaining third. This core wall was to consist merely of a thin masonry diaphragm impervious to the water, which was intended to seal the earth dam against the passage of any water. The substitution of earth for masonry was made by the then chief engineer, chiefly from considerations of economy. On the accession of the late chief engineer, Mr. Hill, to office, he at once condemned the composite nature of the structure, and recommended that the masonry work should be carried continuously across the valley, providing a homogeneous structure. In support of this recommendation he pointed out that there were strong engineering reasons against the use of the earth and core wall construction, especially in connection with an all-masonry structure. After a board of experts had indorsed his criticisms, the core wall as far as it had been built was taken down, and it was then discovered that the bottom on which it rested was of a treacherous and more or less friable material, which in the presence of water seemed to lose its consistency entirely. Accordingly it was decided to carry down the excavation until absolutely sound rock was reached.



FRONT VIEW AND SECTIONS OF THE CROTON DAM, SHOWING THE GREAT DEPTH OF THE FOUNDATIONS.

The accompanying engraving shows the great dam as it will appear when completed, if viewed from down stream. The length of the dam proper from the right abutment to the commencement of the spillway is 1,168 feet. This portion as now being constructed will be one continuous solid wall of first-class masonry laid up in cement, and everywhere carried down to solid rock. The illustration referred to shows the actual depth to which this excavation had to be carried. It will be noticed that on the left side of the valley the engineers encountered a solid and very satisfactory gneiss rock, which extends for more than a third of the distance across the valley. Then the sub-stratum consists of a lime rock not so satisfactory as the gneiss, but still sufficiently stable for a good foundation when excavated to the great depths shown in our engraving. The deep places in the foundation are due to the discovery of pockets of rotten rock which had to be excavated. The lowest point of foundation is 131 feet below the bed of the river. The top of the dam is 166 feet above the bed of the river, thus giving a total height of the masonry from foundation to crest of 297 feet. At the top the wall has a thickness of 18 feet, and it increases in thickness proportionately to the hydraulic thrust against it. This increase extends not merely to the bed of the river or bottom of the reservoir, but more than as far again below it, until the foundation is reached. Since the overlying material between the bottom of the reservoir and the bottom of the foundation will be saturated with water, the masonry dam has to be treated as though it had a head of water against it for practically its whole height of nearly 300 feet. Consequently, to secure sufficient weight and stability, the width of the dam at the lowest point is over 200 feet.

The section shown is continued throughout the full length of the dam until the spillway is reached. Here the masonry curves around to the right, parallel with the hillside, and extends for nearly a thousand feet up the valley, the total length of the spillway including the curve being an even thousand feet, and the total length of the dam and spillway together being 2,168 feet. As it is the intention to carry a carriage drive across the crest of the dam, an arch of steel or masonry (probably the latter) will be thrown across the spillway as shown in our illustration. At the junction of the spillway and dam is a gate-house; and on the down-stream side of the dam, in connection with this gate-house, a projecting column of masonry has been thrown out, within which is a stone stairway leading up to the crest of the dam. A clever use has been made of the break in the dam where the old earthen dam was to have commenced, by throwing out a column of masonry of the same design as that at the spillway, with an inside stairway leading to the crest of the dam. The architectural effect thus produced is harmonious and decidedly pleasing.

One of our photographic illustrations shows the method by which contractors are building the 300 feet of structure which has taken the place of the projected earth dam. Two steel working platforms have been erected, the foundations being placed right in the body of the masonry. At each corner of the platform is a steam derrick, the two platforms together thus providing eight derricks in addition to the large number which are erected outside the line of the dam. By this means the whole work is completely covered, and the material is handled to excellent advantage. As the masonry rises, the steel work of the platforms is built into it and serves in a certain degree to tie it together. The rock, in masses which weigh many of them over five tons, is brought from granite quarries situated a short distance up the Croton valley. It is drawn alongside the dam in cars, from which it is picked up by the derricks and dropped into place. A new method of building the masonry has been adopted, which not only conduces to great speed of erection, but also provides a more solid monolithic mass, with less possibility of voids occurring in the body of it. The outside courses of masonry are first laid up, and transverse walls run across between these, thus forming pockets that may be from 12 to 20 feet square and from 3 to 5 feet in depth. A mass of cement is then poured into the pockets thus formed, through wrought-iron pipe chutes, that lead down from the cement mixers on the adjoining hillside. When the pocket is filled to the desired height with cement, the big rocks are picked up by the cranes and let drop from a considerable height into the liquid concrete and cement bed. The impact thus secured forces the cement with a crowding effect into all the interstices of the adjoining masonry. The swarm of Italian workmen are meanwhile throwing smaller rocks, that can be handled by hand, in around the bigger stones, and the speed with which the work progresses must be seen to be appreciated.

An important detail attending the completion of the dam is the reconstruction of the old aqueduct, which leads along the hillside over 30 feet below the high-water level of the new dam. It is necessary to strengthen the roof of the aqueduct, to enable it to withstand the water pressure resulting from the filling of the new dam, for the aqueduct will be covered with about 30 feet of water when the new dam is full. This is done by throwing over the aqueduct a thick concrete roof, which extends well down the sides and provides an absolute safeguard against crushing in of the structure.

The construction of the roads which will surround the Croton dam has been quite an extensive work in itself. It has necessitated the building of some very fine bridges, some of which we hope to illustrate in a future issue. The work of stripping the surface of the ground below the water line of the new dam has been pretty nearly completed, and it is now possible to look up the valley, and determine by the brush and timber line where this high-water line will extend. It is the hope of the Commission to commence to back up the water in the dam by the first of next year. Before that is done it will be necessary to close two tunnels through the masonry of the dam, one of which exists for the passage of work trains, and the other for the outflow of the Croton River. The work-train tunnel will first be blocked in, after which two 4-foot pipes provided with gates will be inserted in the tunnel through which the Croton River is now flowing. When everything is ready the gates in these two pipes will be shut down, and the work of filling the great reservoir will have fairly commenced. When we remember that the average daily consumption of water from the Croton watershed by New York city is nearly three hundred million gallons, and that the flow of the Croton River during a dry season may fall to between four and five hundred million gallons per day, it can be seen that it will be a long while before the water reaches the crest of the dam, if indeed it ever does so. Of course, the prevalence of heavy rain storms, or a thoroughly wet season, would expedite the filling of the dam.

Although it is hoped to close the dam by the beginning of 1905, it will not be for some months after that the whole work will be completed and everything put in its final shape.

Success of Governmental Enterprise in Italy Against the Spread of Malaria.

Italian scientists having proved that malaria is transmitted from infected districts by the mosquito, caused the Italian government to adopt measures of protection against its extension to government agents and officials required to reside in malarial districts.

In the "Nuovo Antologia" of Rome of recent date, is a comment on the remarkable decrease in the expenses of installation and maintenance of the means taken to diminish the causes of malaria in infected districts where customs officials are located. This reduction, however, does not impair the thoroughness with which the work is maintained.

The protection is purely mechanical, and could not have been more efficient or successful. The account goes on to say: "In the ninety localities thus protected for the first time in 1902 (the only year of which we have any complete data) there have been but one hundred and forty-two cases of the fever against six hundred and forty-two the previous year; the reduction, as we see, was nearly from five to one, and in some districts, as for example in those of Orbetello and of Terranovia in Sicily, where the cases of fever had been respectively twenty-nine and twenty-four in 1901, these had disappeared altogether when the protective measures were applied in 1902. In the twenty localities that had already been protected in 1901, the difference in the number of cases of malaria which came to light in 1900, when the defensive measures had not yet been adopted, and those which occurred in 1902 was still greater, when they dropped from two hundred and seven to twenty-five."

In the year 1902-3 the means of protection (small gauze nets, masks with veils, and gloves) were made applicable to one hundred and nineteen other localities, and this extension of the humanitarian means continues, and will continue to be applied to all the barracks and customs inspectors situated in the infected districts, to co-operate—as has just been said of the general directorate of customs—"to the supreme end of protecting against the ravages of this dread disease so many young and youthful existences."

But the most important results yet obtained have been from the anti-malarial measures adopted by the prison officials in charge of the prisoners condemned to spend their lives and energies in the salt works of Corneto, where the infection was so general and so grave indeed as to be declared invincible. Here among the confirmed criminals assigned to the labors of preparing and collecting the salt, the sufferers from malaria had amounted to three hundred and ninety-five in 1900; by 1903 these were reduced to a single one.

We desire to call the public attention to this, because it treats of works and facts that not only confer high distinction upon the Department of Finance, but also redounds indirectly to the honor and praise of the Italian scientists, to whom we are unmistakably indebted for the tireless researches and the grand discoveries that have made such wonderful achievements possible.

Peary and the North Pole.

Robert E. Peary has announced that he will again attempt to reach the North Pole in a specially constructed vessel, in which he will embark next summer. The presentation to Peary of the Paris Geographical Society's gold medal was the occasion of the announcement. M. Cordier, president of the Paris society, made the presentation speech. In responding, the explorer said:

"The contract for my new Arctic ship has been signed and her keel is being laid now. This means that the expedition upon which I have been putting my energies for the past two years is lifted out of the realm of uncertainty, and that if I am alive I shall start north again next summer in another attempt upon the North Pole.

"My vessel will, I believe, be the ablest ship that ever pointed her nose inside the Arctic or Antarctic circle. She will possess such shape as will enable her to rise to the pressure of the ice floes and escape destruction. She will possess such strength of construction as will permit her to stand this pressure without injury. She will possess such features of bow as will enable her to smash ice in her path, and will contain such engine power as will enable her to force her way through the ice. In maximum dimensions, viz., length over all, breadth of beam, and draft, etc., this ship will be of the size of the British Antarctic ship "Discovery"; in displacement she will be somewhat less; in power she will compare with our largest ocean-going tugs. She will have engines capable of developing 1,000 indicated horse-power continuously, and 1,500 horse-power for limited periods.

"My route north presents features very different from the route of a ship to the Antarctic regions; the voyage is short and the crux of the whole project is the successful negotiation of the comparatively short distance of ice-encumbered channels extending northward from Cape Sabine to the Polar basin.

"What I require, then, is not a sailing ship with weak auxiliary engines, a ship capable of remaining out for a number of years and covering long distances at slow speed, with moderate consumption of coal. My requirements are a powerful steamer, capable of forcing her way through this comparatively short distance and demanding only a minimum amount of sail power to enable her to creep home in case all her coal is burned—that is what I propose to build.

"My plan of campaign, in a very few words, is to force this ship to the north shores of Grant Land, taking on board at Whale Sound the pick and flower of the Esquimau tribe with whom I have worked and lived so long, to go into winter quarters on that shore, and to start with the earliest returning light on the sledge journey across the central polar pack, utilizing these Esquimaux, the people whose heritage is life and work in that very region, entirely for the rank and file of my party.

"Never before has it been in the power of a white man to command the utmost efforts and fullest resources of this little tribe of people, as I can do; and that fact will be of inestimable advantage to me."

The Current Supplement.

The St. Louis correspondent of the SCIENTIFIC AMERICAN opens the current SUPPLEMENT, No. 1499, with an admirably illustrated account of the Government Building and Post Office exhibit at the World's Fair. Historically, the exhibit is full of interest. It shows how the mails are handled and the various methods adopted in transporting mails in such remote regions as Alaska. Prof. F. B. Crocker and Mr. M. Arendt write instructively on electro-chemical industries. "Substances Liable to Decomposition by Light" is a subject discussed by F. A. Upsher Smith. Emile Guarini presents an account of a new system for the protection of trains by an audible signal in the train cab. The system is certainly ingenious, and has been tested with some success in Europe. Prof. A. Rateau, one of the great authorities on turbine engines, suggests methods of using steam turbines for current purposes. Of archæological interest is an article by Harlan I. Smith on shell heaps of the Lower Fraser River of British Columbia.

In a recent experimental investigation by Dr. T. Wulf, published in the Zeitschrift für physikalische Chemie, it is shown that the electromotive force at which hydrogen ions are liberated from solution, when determined galvanometrically, is quite independent of the pressure when this is varied between 0.01 and 800 atmospheres. On the other hand, the polarization of the hydrogen electrode increases with the pressure, and this increase is in quantitative agreement with Helmholtz's formula. The experiments show that the passage of a current through the solution is not necessarily accompanied by the liberation of the gas in the form of bubbles.

THE "LEBAUDY II."

BY EMILE GUARINI.

On the morning of the 28th of August, impelled by a heavy gust of wind, Lebaudy's airship "Le Jaune" broke away from its moorings and began its upward flight very much as did the captive balloon recently from Porte-Maillot, but with this more fortunate difference, that no one was in the basket at the time, nor did an explosion ensue as a consequence; except for a few unimportant injuries, everything went well.

The accident happened while making the balloon fast to its retaining ropes. It rushed up rapidly to a height of 1,000 meters, but as the result of a lowering of the temperature it descended of itself, and touched ground in the forest of Fontaine-Labbé near Serquigny after a flight of more than 80 kilometers (50 miles).

By a miracle almost the gas bag was not torn at all; while the metallic framework suffered only slight injuries.

Mr. Julliot, the maker of the balloon, declared with satisfaction that this unforeseen escapade has established what the "Jaune" can do when left to itself, as well as permitting the opportunity to confirm the perfect functioning of the automatic valves, to which is due the circumstance, that, in spite of the elevation of the temperature, the balloon did not burst.



The "Lebaudy II." in Its Shed.

It is in condition to continue its ascensions—this one being the fourth or fifth since the flight of July 1 in five or six weeks—the repairs being limited to the replacing of several tubes that were bent. It has been decided that the aeronauts will continue their experiments in France. Both Mr. Paul and Mr. Pierre Lebaudy deem it of greater interest to spend the rest of the year making experiments in France than to waste their time making ascents at the St. Louis Exposition. The "Lebaudy II." is above all an airship for study, and is equipped accordingly. It is provided with a Gaumont camera that can be continuously operated, besides having some horizontal projections that allow of rigorously determining the variation of the velocity and direction attained, by causing the power, the direction, and the velocity of the balloon itself to vary.

It is proposed also to make use of the balloon, which will thus become an actinometer of precision, to determine the action of atmospheric agents. It will become a veritable floating observatory. Nocturnal voyages are in prospect during the absence of that grand disturber called the sun. With this end in view, the "Lebaudy II." carries a powerful searchlight, which will illuminate the surface of the earth most vividly, making it possible to distinguish the places over which it is passing. These experiments must infallibly lead to renewed study of spherical balloons, whether provided or not with balloonets, as well as to the further investigation of propelling devices. The essential characteristic of the "Lebaudy II." as well as of the "Lebaudy I." is stability. The catastrophe which happened last year at Chalais-Meudon and put an end to the career of the "Lebaudy I.," in the opinion of Col. Renard, cannot be attributed either to faulty construction or to mistaken manipulation of the pilot Juchmès.

It seems to him that this exceptional stability is due to the fact that Mr. Julliot, the constructor of the balloon, did not allow himself to be deterred by the objections raised by the expert mechanics, who found in their calculations that he must use propelling screws of very large diameter working at the end of a strengthened beam. On the contrary, Mr. Julliot created a particular type suitable to aerial locomotion, for in this instance he made use of two screws of moderate diameter, which he established at the greatest cross-section of his dirigible airship, one on the port and the other on the starboard side, each one actuated by a separate motor.

Consequently, even admitting it to be a logical proceeding to study the conditions affecting stability in a balloon during its flight, by forcing air, with rotary fans, into a tunnel containing paper models, no one was reasonably capable of applying to the "Lebaudy" the results of the calculations reached during experiments with other machines. Besides, the stability is obtained by means of a system of planes. Now the idea of making airships stable by means of aeroplanes is by no means new. It has been mentioned in patents on several occasions, but without exactitude, and it was only in the Lebaudy patent of May 8, 1903, that the means employed in the "Jaune" for making the airship stable were brought forward for the first time—means which have certainly contributed to the exceptional stability of this aerostat.

In this patent the Messrs. Lebaudy show the coexistence of two species of plane surfaces, the one a horizontal, to establish a horizontal or flat stability, and the other a perpendicular plane, to endow the airship with constancy in the vertical plane. Although both species of planes are mentioned together, the means of producing the horizontal stability are the ones upon which the greatest dependence is placed. As a matter of fact, the efficiency of these planes increases with the velocity of the ship. Several planes for attaining different positions have been fixed upon the long keel, which formed a sort of a feathered tail. The direction of these planes, and even their surfaces, may be changed, but not during flight; otherwise they would constitute merely a bundle of little rudders. Here is an example of the construction of these directing planes, destined to keep the ship upon an even keel. The make-up of the other planes in analogous. It must first be stated, however, that the basket is soldered to a steel cylinder, solidly braced and rendered non-breakable by interwoven steel wires, thus constituting a stiffening system of great strength. This cylindrical tube is of oval shape, having a diameter of 95 feet in one direction and 19.68 feet in the other. The directing plane, of which we shall now speak, is formed by a tube extending over a semi-oval, soldered upon the tube and made solid, in the same manner as the oval cylinder, by braces and steel wires. This plane is 95 feet long, with a height of 4.23 feet, affording a surface of 172.16 to 193.68 square feet. It is situated about 16.4 feet below the center of gravity of the balloon, which will permit us to estimate its efficiency. The prospective "Lebaudy," which will make ascensions next year, will have, however, both fixed and movable planes, adapted to both horizontal and vertical motion; moreover, the screw propellers will be pro-



Preparing for an Ascent.





Ready for a Flight Over the Meadows of Moisson.

THE "LEBAUDY II."

Philippine House. Native Cooking Dog Meat.

Dwelling of Ainus, the Aboriginal Race of Japan.

Wichita Summer and Winter Grass Houses.



Pawnee Earth Lodge to Right; Summer House to Left.



Arapaho Winter Tepee, with Brush Wind-Break; Summer House in Foreground.



Cocopa House, Old Mexico.



From photographs taken especially for the SCIENTIFIC AMERICAN.

Patagonians in Front of Native Hut of Pole Framing Covered with Hide.



Kickapoo Indian Bark House.

GROUP OF NATIVE DWELLINGS, ST. LOUIS EXPOSITION.—[See next page.]

vided with jointed wings. It must not be overlooked that the "Lebaudy II." is a trial ship, and that the pilot Juchmès must have at his disposal several means of procuring the requisite stability of his ship during flight, so that he may choose that which offers the greatest advantages.

The "Lebaudy II.," having no need of ballast, may without inconvenience make ascents of 6,500 feet, a circumstance that offers many considerable advantages. First of all, the pilot has more latitude in the choice of a more favorable current of air or in the avoidance of unfavorable currents. Again, from this height he can examine the surface beneath him, comprised within a circle having a radius of 74.5 miles—surely an inestimable advantage in time of war. Still another good quality possessed by the "Jaune" is that of preserving its shape without variation and not forming pockets. An airship which does not fulfill these conditions is a hundred times worse than a spherical balloon. The catastrophe attending the "Santos-Dumont II." furnishes a memorable proof of this. The danger begins at the moment when the apparatus which inflates the bag ceases to act, from any cause whatever. The precaution taken by Mr. Julliot, of placing two independent motors in the basket, is therefore a good one.

Presumably no accident will happen to both motors at the same instant; such a disaster is less to be feared, because both of the motors are under care of an engineer, who never loses sight of them while in operation.

NATIVE DWELLINGS AT THE ST. LOUIS EXPOSITION.

BY THE ST. LOUIS CORRESPONDENT OF THE SCIENTIFIC AMERICAN.

In previous articles on the World's Fair at St. Louis, we have referred to the unique opportunities which are presented for a study of the various races of the earth, their habits and their modes of life. A most attractive and eminently instructive branch of the anthropological section is a group of reproductions, built to full size, of native dwellings, the greater part of which represent the homes of the various aboriginal tribes of North America. The exhibit encircles the large parade ground in front of the building of the United States Indian Industrial School, of which we shall have more to say in a later article. In every case the dwellings are built of the same material and in the same manner as were customary, or are to-day customary, among the tribes that they represent. In the case of several of the North American Indian tribes, it was difficult to find Indians who were familiar with the art, now extinct, of building these homes, and in almost every case it was necessary to seek out some very old Indian, who acted as master builder over the younger natives. The first, and in some respects the most striking structure, is the bark house of the Kickapoo Indians, which is about 12 feet in diameter by 6½ feet in height. It consists of a framework of willow poles, each frame being approximately semicircular in form, to which is fastened wide strips of overlapping white or red elm bark, the pieces of bark being tied to one another and to the framework by strips of the bark. There is a single low door, that is usually covered by a skin. In the center of the roof is a square opening that serves as a chimney, and is sometimes provided with a bark or canvas hood, which can be shifted with the wind.

Next follows the primitive dwelling of the Maricopa Indians of Arizona. The huts, which were generally built along the rivers, were constructed on a willow frame, the sides and roof being built of arrow weed. The Maricopas are gentle, and of kindly disposition. When the white man first discovered them, they were prosperous, having adapted themselves to the Aztec style of farming, and making use of the old Aztec ditches for irrigation. When the white people came, they found that the land was of good quality, suitable for irrigation. They went above the Indian reservation, taking out by means of ditches all the river supply, and leaving practically no water, under normal conditions, for the farms of the Reservation. As a consequence, these people soon found themselves to be objects of charity, depending upon Government rations; and many who were formerly prosperous had to leave their homes and scatter in search of work. Next to the Maricopa dwellings one sees two small, conical, earth-covered houses of the kind that were built by the Navahos. These consist of a framework of willow poles covered with grass sod. Compared with some of the other native homes, they are small and uncomfortable. The Navahos are still a more or less nomadic tribe.

In most cases the exhibit includes both the winter and summer homes of the tribes represented. Thus the winter tepee of the Cheyennes is shown side by side with their light bark-covered summer house. The same is true of the Arapaho exhibit, of which we present an illustration. It shows a typical tepee, or winter tent, consisting of framework of poles covered by canvas (originally, of course, the Indians used skins for this purpose) and surrounded by a brush stockade, which serves to break the force of the winds that sweep at times with great force across the prairie. In front of the tepee is the light summer house, consisting of a flat roof covered with grass and supported on four corner posts; the object in building the summer dwelling being to get as much ventilation as possible, while securing shelter from the direct rays of the sun.

The most imposing building of the whole group is a Pawnee earth lodge, 40 feet in diameter and 20 feet in height. This is an ordinary size; but at times these lodges would be built with a diameter as large as 65 feet. The framework of the building is very heavy, as it must needs be to carry the great weight of the earth and grass sod with which it is covered. A circle of eight 6-inch posts stands in the center of the lodge, the posts serving to support the main rafters. Arranged around the wall are a number of bunks, and entrance is had by a long vestibule or porch, the doorway of which is shown in our engraving. Adjoining the earth lodge is a summer house of light construction, but more pretentious appearance than that of the Arapaho. A picturesque group is that of the Wichita Indian dwellings, which comprise a winter grass house and two summer houses. The frame is of split willow, the rafters of lighter split willow, and the intersections are tied together by willow bark. The framework is roofed with rice grass. Of the two summer houses, it will be noticed that one is the customary flat roof carried on four posts, while the other is a larger and more pretentious structure, affording a considerable amount of shelter from the weather, but being left open near the ground to allow the wind to pass through. Another of our illustrations shows a typical dwelling of the kindly Cocopa Indians of old Mexico. It is a very primitive affair, built of willow poles and the tule rushes which grow in the water at the edge of the streams. On the top of the rude porch in front of the house are one or two native baskets, while on the table are spread out various samples of native bead work for sale.

One of the most curious and picturesque of the native homes is the dwelling of the Ainus, the aboriginal race of Japan. The hut has vertical walls and a rather high-pitched roof, the side walls and the roof being thatched with a native reed. Their dwelling is protected from the evil one by sacred prayer symbols, one of which is a head of a bear, which, by the way, is an object of worship. There is not a race among the many present at St. Louis that is attracting more intelligent interest than these remarkable people, who are ethnologically a puzzle even to the Japanese themselves.

The Patagonian "giants" as represented at the Fair are something of a surprise in the fact that their stature, judged from American standards, is not abnormally tall. Their dwelling, as shown in our illustration, is of a very primitive character, consisting of skins sewn together and supported upon poles and rafters in the manner indicated. We have so lately dealt with the Filipino that it is not necessary to say much about his bamboo house, as shown herewith. The particular Igorrote in front of the house is engaged in cooking a portion of the dog meat which forms one of their favorite and characteristic dishes.

The Making of a Welsbach Mantle Briefly Told.

The incandescent gas mantle was invented by Auer von Welsbach in 1885, and patented all over the world. The manufacture and use of mantles was first taken up in Austria, and has since found its way in all of the civilized countries where gas is introduced. At the present time it is estimated that no less than one hundred and fifty millions of mantles are manufactured annually. In the United States, although there are about forty millions manufactured annually, the industry is only partly developed. The public is gradually learning to use the mantle.

The mantle is made as follows: A "cone" or spool of No. 40 white cotton thread is knitted into a "stocking" or hose, about two inches in diameter. This stocking is thoroughly washed and dried. Then it is saturated with a solution of nitrate of thorium and one per cent of nitrate of cerium. The thorium is manufactured from a sand called monazite, which is found in Brazil and in the State of Carolina, and is rather expensive, being sold at $6.50 per pound.

One pound of nitrate of thorium yields from 300 to 350 mantles, depending on the quantity distilled. After the cone has been washed and dried it is either cut to proper size and impregnated with the thorium solution, or is first impregnated and then cut to the required lengths. The impregnated stockings after being cut and dried are sewed at one end with asbestos thread, so as to form a head provided with a loop, which serves to hold the mantle in process of manufacturing and when in use on the burner.

Then the impregnated stocking is hung on a wire by an asbestos loop, and heated in a gas flame of the Bunsen type. This is done in order to burn out the thread. The next process is called the shaping. The mantle now consists only of ashes of thorium (oxide of thorium) and is carefully held over a Bunsen flame, and gradually given the right shape, at the same time being hardened. As soon as the mantle is shaped and hardened it is practically completed; but in order to protect it from breakage it is "dipped" in a stiffening solution. There are many forms of "dip," but the one most used is made of soluble cotton (guncotton) dissolved in good alcohol and acetone. To this mixture castor oil and shellac are added. Before the mantle can be used on a burner this "dip" or coating must be burned off. The method employed in the manufacture will be described in detail in an early issue, and fully illustrated.

Automobile Notes.

Gen. Gallieni has lately organized an automobile service in Madagascar for transporting postal matter between Tananarive and Mahatsara. In spite of numerous difficulties which are due to the local conditions the experiment has succeeded very well. Capt. Gruss states that the automobiles have been running for seven months past with great regularity. At present there are six of the postal vans, but it is hoped to increase the number to ten, to take care of the large amount of mail matter which passes over this route. In seven months the automobiles have made a total distance of 30,000 miles, carrying 106 tons of mail matter. The total expense has been $18,000. The present system was supposed to be impossible by many, but it is now proved to be a success and will no doubt be greatly extended in the future and other lines will be run on the same plan.

The French Minister of War has opened a contest of automobile wagons for use in the army. They are to be heavy hauling cars or vans for transporting provisions and different kinds of material. The first three vehicles which come out best in the contest will be purchased by the state. The price of each is not to exceed $1,700. The trials will be made in the neighborhood of Paris and will comprise eight days of different kinds of tests. Only cars of French make are allowed to enter the contest. The total weight of the car when loaded is not to exceed 3.7 tons, of which 1.8 tons represents the net load. The motor is to give 12 horsepower at the minimum, at a limited speed of 1,000 revolutions per minute. The jury will pass upon the following points, giving each a certain co-efficient for a total of 100: Power of motor and design, simplicity, etc., 13; cooling, 5; consumption of combustible, etc., 15; operation of different organs, 15; wheels and tires, 15; brakes, 10; good handling of the car, 5; starting and grades, 8; proportion of load to total weight, 5; speed, 3; cost, 6.

To find out how automobiles can be best utilized for military service, an interesting series of maneuvers is now being held in Italy. The idea is to call upon automobiles in time of need and to mobilize them just as is done in many countries for horses belonging to private individuals. The present tests have been organized by the Minister of War in connection with the Milan Automobile Club. The tests last for a week and were commenced on the 30th of August. More than fifty chauffeurs entered the maneuvers, which were held at Brescia. They started early in the morning. At the last moment each chauffeur received a sealed envelope giving him a certain route to follow, and he was obliged to reach a certain point, which was often at a great distance off or at a high altitude in the mountains. The chauffeurs were required to return to their posts in less than 24 hours. Some of them were ordered to proceed at full speed to the Austrian frontier. The result was very satisfactory. All the cars except one returned to Brescia before midnight. The remaining car had been damaged by running into a telegraph pole. The military authorities are highly pleased with the performance of the cars and the skill of the chauffeurs. These experiments will no doubt be followed by others.

The autumn military maneuvers in France have brought out an unusual number of automobiles. The chauffeurs who figure in the exercises are to pilot the officers of the Etat-Major in their cars. The maneuvers of the automobile corps commenced by a grand review which was passed before Commandant Gentry. This well-known officer has charge of the army automobile matters and is himself an experienced chauffeur. Each *quartier general* will have two high-speed cars and four light cars at his disposal. To each corps of the army is allotted one high-speed car and one light automobile. In the maneuvers are many well-known chauffeurs, and nearly all the leading makes of car are represented. The cars which are to follow the maneuvers of the East will start from Paris and arrive at Dijon on the 6th of September; those of the Northwest maneuvers reach Verneuil on the 4th. Gen. Pendezec, the chief of the Etat-Major, who is in charge of the exercises, will be piloted by Marechal Cailiois on a Georges Richard car. The military chauffeurs will receive an indemnity during the whole of their voyage which has been fixed by the Minister of War at $0.008 per horse-power-mile, and $0.027 per horse-power per day. To this is added a fixed indemnity of $0.50 for soldiers of the troops and $0.60 for the inferior officers.

STRIKING EXAMPLES OF INSECT MIMICRY.

BY O. FULDA.

Natural history, including insect study, entomology, is taken up in the public schools, and in walking in the country we often come across our American boys with butterfly nets.

One of the most interesting observations that can be made in the study of insects is the manner in which the animals attempt to protect themselves when pursued by their enemies. There is, for example, among the moths the genus *Catocalac*. As a rule, their hind wings have a beautiful, bright coloring, but they can so conceal these under the wing sheath, which is usually gray or brown, that it takes a sharp eye to discover the animals when at rest on the trunk of a tree. A striking fact is that the dark-colored varieties seek concealment on trees with dark bark as, for instance, the oak, while the lighter-colored varieties rest on trees such as the birch or maple. But the best example of mimicry in the insect world is that which is given us by the leaf imitators, which are brightly colored on top, but when their wings are folded, exactly represent a leaf. One of the most striking examples of this is the *Kallima inachis*, found in India.



A Caterpillar (Eunomos magnarius) Simulating a Twig.



Upper and Under Sides of Delias des Combesi, India, Showing the Protective Marking

Moths are able to deceive the eye in more than one way. There is one species that, when sitting on the bark of a tree, exactly imitates the lichen. Others, when resting on the upper side of a leaf, present the appearance of bird droppings.

Of other insects the "walking stick" can make itself particularly difficult to see, in that it appears like a green or a dry twig according to its color. The caterpillars also of many butterflies and moths imitate their environment. One of our illustrations shows a caterpillar of the *Geometridæ*, *Eunomos magnarius*, which always assumes such a position that it is frequently taken for a twig of the plant on which it feeds.

Among the butterflies there are kinds that seek, through their appearance, to frighten their pursuers. The South American *Caligo* species are on the upper side a beautiful blue or gray and blue, while the under side has the color and marking of an owl's head with large, open eyes. It is easily conceived that the animal is able to frighten, when, spreading its wings, it suddenly simulates the appearance of an owl.

The giant Indian moth, *Attacus atlas*, may also be here mentioned. This animal can assume such a position that it represents the head of a certain Indian snake. Its wings when completely spread measure eight inches from tip to tip.



Attacus atlas, India. Spread of Wings, Eight Inches. Protectively Marked to Resemble a Certain Snake's Head.

STRIKING EXAMPLES OF INSECT MIMICRY.

Corks and Their Supposed Induced Radio-Active Effect on Photographic Plates.

BY MYRON METZENBAUM, M.D.

While investigating the action of radium and radio-active substances on photographic plates, I observed that whenever radium, uranium, thorium, or zirconium compounds were placed on a plate of plain glass which was elevated by means of corks above a photographic plate, whenever the corks were directly in contact with the film of the photographic plate, not only did these radio-active substances affect the photographic plate, but an image of the structure of the corks was also to be seen on the plate.

This image of the corks could be noted on the plate after twenty-four hours, and could only be seen while developing the plate, but would wash out almost entirely in the fixing solution.

If the time allowed was at least four days, the action on the plate was sufficiently deep, so the image of the corks remained after the fixing, but it required at least twelve to twenty days before the plate was acted on sufficiently so a good print could be made from the negative.

This observation of the action of corks on photographic plates was naturally interpreted as due to induced radio-activity caused from the radio-active substances on the suspended plate of glass, until the time when I made the observation which I reported in the SCIENTIFIC AMERICAN of May 14, 1904, on "Induced Radio-activity and Aluminium."

In this article I showed that when radium is contained in hermetically-sealed tubes, and these tubes placed in various solutions and various powders for as long as twenty-one days, after this time neither the solutions nor the powders show the slightest effect on photographic plates; but when the solutions or powders were placed in aluminium boxes, and these boxes placed in direct contact with a film of a photographic plate, these boxes produced their image at the points of contact. I was able to show further that all sorts of aluminium articles, when placed only in direct contact with the film of the plate, gave an image, and that this action is one not due to radio-activity, but is either a chemical or electrical action between metallic aluminium and the albumenate of silver of the plate, or possibly due to pressure alone.

I therefore took new corks, and placed them in direct contact with the films of photographic plates and kept them out of all possible influences from radio-active substances, and then I noted that the new corks produced their image on the photographic plates just as before.

That this action is one not due to radio-activity may be inferred from the facts that when corks are separated from the film on the photographic plate by a piece of very thin paper, or placed on the reverse side of the plate for as long a time as forty days, the plate is not affected in the least, nor do corks have any effect on the electroscope.



The Indian Leaf Butterfly (Kallima inachis) which Mimics a Leaf Even to the Veining.

This action may possibly be explained as a chemical one between the residue of chemicals remaining in the corks after their bleaching and the film of the photographic plate, or possibly it may be pressure alone.

In either case this action depends on an intimate contact existing between the corks and the film of the plate, which means that the corks affect the plate only at the points of contact, for it is only the grain of the cork which is seen, causing the picture to seem as though it were a direct photograph.

The construction of a large terminal railway station with every facility for loading and discharging vessels, in basins specially to be constructed, has been decided upon at New Orleans. The situation of this station will be at Chalmette, to the east of the city, and a few miles lower down the Mississippi River. A number of engineers and their assistants are at present engaged taking soundings to a depth of 60 feet, and the ground destined for the works is being planned out. The company is working with San Francisco capital and will construct several basins 1,500 feet long by 250 feet wide, with a maximum depth of 50 feet.

RECENTLY PATENTED INVENTIONS.

Apparatus for Special Purposes.

PROCESS OF TREATING FLOUR.—J. M. WILLIAMS, Guthrie, Oklahoma Tel. In this patent the invention is in the nature of a process for whitening, aging, disinfecting, incl'eating the absorption of) aud otlwl'wiHP impl'ovinM floHr. It consists in RuhjPcting thp fiour wlliilt in a state of agitation to the ga8C8 Jo]'lUpd hy tlw electrolYHiH of wutpl' 0r other liqni(IR OI' comvoundR eapablC of generating oxygen.

Electrical Devices.

COMPRESSED-AIR SUPPLY FOlt EL,;(, TRIC VEHICLE:,—R. LEB. O'UN and R. O. LE BARON, Pontiac, }ieh. The inYi:ntion 'elul'N to fluid-pressure hlakps n:(d on (l((trie street ars and oilwl' vehicles; and its object i to providp a device for automatically NUpplyin. the compressed air re(IIiI'pd for working thp fluid-pressure hnkp, the device being actuated during the timp the elc!'trI'is power is Hhui off in stopping the yehidp, thus UIili/ing the powPI ordinarily wasiP(l.

Of Interest to Farmers.

INCUBATOR-BROODER.—C. H. SPERLE, BotlndbI'ook, N. J. In tllis case tlle objectH aI' tn seCIre aH npurly aS possiblp the actual conditions obtaining in the Op8r:]ion of hatching \ggH naturally. .Mr. Hperlp liaH discovered that the hatching-bird in addition to heating, rolling, and eooling the (ggs alHo clutches thpIII, \vhile the ail circulates around thew wiihOIIt drafts, an oppration not J'I'fOrIIWd by all inenbatol heretofore kno\n. A further object i8 lo protect the YUIng biro" the Jint sixty laY8 of their lives.

HAND-PLOW PROPELLER. L. W. AVANT, Atascosa, n'(xa. Oil of tllP chief oujeets of thiH inventor is to enable the point at whi(,h the Vlopellin; iol'(e iN exerted to be shilitd VPI'tically in order that the plow attachment may be adjusted lO accommodate operators o plowIIIPH of dij,Ppnt h<ights; secondly, the at-i:H'hl1Put is so constructed that the force applifd by the operator may be YUPied in its PPlation to the plnw as conditions 1((lnil'(; thirdly, UIP inv(,IItion in('IIHles means for applying the attachment to OIP plow-handlp:; which aro sllJalaled nl()I'C 0f 1(s: from (neh other.

Of General Interest.

ARTIFICIAL TOOTH.—F. L. PRIEST, jallas, Texa I In this patent the purpose of the invention is the provision of a solid 01 practically solid sIII'la((upon the back facc of l(eth ill order 10 hold tll(fa('(s firmly to a gold hridgf 01' to a platP at nll points, Pspcdally at the till" of til(teeth,

REST DEVICE.—R. , SCHROEDER, Bloomington, Ill. The airl in this instance is to IIroyioe a rest device more especially d(signp(d for liNe on thp haCk of chairs, school-desks, coll t H, and like ViP('Ps of furniture and arranged to PlO]HI'Ply support the ba(,k and sidps of the person O(cuvying tll< chair, to avoid undw-' fatigue and allow natural respiration, and to prevent (kfolmities of tll(chest and fhoulderl.

\'() : j)K' \ Sj' lt FOR VACUUM-PANS.- J. F. UTRILLA, Tp!'slY City, N. J. This invention has l'{-(IPI(e particularly to improvements in ('ondpnsfl's tlspc in connection \ith sugar machines, all obje(t t iug to provide a simph' llwans for drawing gases from the eondpns(j' and diHppn8ing with the vacuum-pump usually emplo)pd,

FLY-CATCHER.—J. SCHNELL, Macon, Ga. In this inHtance the invention iK an illlllPOYPment in tliat claSH of fly-catchers il whieh a ('ontinnolls ('01£ 0r strip of fibrous material is drawn ihrongh a body of tacky liqlid and if subsfqllently cut of in suitable lengths for lt8e in various localities,

CORNER-IRON F()(SIDING-JOINTS. J. SIMPSON, Veedersburg, Ind. The purpose of the imPIOVPIIltnt is to pl'ovide tOlnpl irollH or plaff's for the siding-joints of frame buildings, which corner-irons will rend(l the joints imperVi0114 to water at the corners of the hOdHC, particularly Huch hOlHes as are sided with Shingles or clapboardK.

Machines and Mechanical Devices.

MOTOR-CONTROLLED FAN.—C. S. WARNOCK, Americus, Ga. 11r. Warnock's invention l(lat s to improvemenIN in motor-actuated fan . espP(,Hilly fans opPI'at(by a spring-actuated motor. The purpose is to provide a devlc(, wherPin thp fan-blades or fly-brushes will operate with vibratory motion, enabling the deviee to be plavp(, npou a tnble or support qnite close to a person, vdi hout intoIv(,ni(ndng him. Means hold the fan or brush carrying (IIIfiS in operating connectioJI with a rockil; HIIPJI()I't, together with means £0r imparting a clishionp(vibratory motion to the rn d nf suppori from a shaft, :uHl also pro;'idp ready lat-('ral and Ye.tieai adjustment for the fan-carrying arms. The clailn is that the inventor's working model has In'oYed rntiPely Ruccessful in operation.

Railways and Their Accessories.

VALVE.—W. T. HARRISON, Savannah, Ga. In this case tl' invention lpfcll to impl'o'ements in valves for controlling tlip outflow of water from railroad,tank, an object leing lo provide a valve so constructed that it may be readily removed for repairs without first lunning the water out of the tank, and, fllIthpr, to provide a shnvle nleunH for ll l Yentillg the rattling or jlHuping of the valvr.

CABLE-TRACTION SYSTEM. G. W. SANDERS, Uadsden, Ala. In this patent ihe invention llaH I'pfprpne(' to cable-traction HysterlIH, and has for itH prindpal object the provision o(an effective means for operating cars in either direction along a track. Mr. Aanuers' :y t<m i> y(,ry siuIIIle in construction and operation and subjects the ('abk to but slight WfHI'.

RAIL" AY-SWITCH. M. BARNES, :-, rHcllsP, N. Y. In this case the invention relates to improvements in switches, particularly for liS(011 street-railways, an object being to provide a simpl< switch Ihat can be movt(l by a motorIIHn without stopping the ('ar 10 direct the car in any OIIP of IIIIr(,(, tiI'P<linnH.

NOTE. ('opips of any 0f these patents will be fnl'uisIIl'd by 1111nn & Co. for ten (ents each. I'lpll", state the name of the patentee, title ot the invention, and date of the paper.

Business and Personal Wants.

READ THIS COLUMN CAREFULLY—You will lind inquiries for certain classes of articles numbered ill cong(cutive order. If you manufacture these goods write us at once nnd we will send you the name and address of the party desiring thelnfO.rmauon. **In every case it is necessary to give the number of the inquiry.**

MUNN & CO.

MarIne Iron 'orks. **Chicago.** Catalogue free.

Inquiry No. 600 .-}lr information concerning the manufacture of fHh hooNR.

AUTOS.—Duryea Power Co'. leading, Pa.

Inquiry No. 6003.—For makers of elf(tn'cally dnven hammers for rivetmg steel posts and plates.

"U. S." Metal Polish. Indianapoils. Eamnlps free.

Inquiry No. 6004.—For mnkers of s r all alr-cool-el w,rme a w HtatIOnary gaso]me motors.

Perforated letalM, JIarrmgton & KilQ Perforating Co., Chieago,

Inquiry No. 6005.—For machinery required in the manufacture of furniture.

Handle & Spoke Mchy. Ober : fg. Co., 10 Bell St. Cbalrin Falls, O.

Inquiry No. 6006.—For makers of carts, trncks, etc., for heavy service.

If it IS a paper tube we can supply it. ffextile Tube Company, Fall River, lass.

Inquiry No. 6001.-lfor manufacturers of silicate of soda. 01 w-called liquid glass.

WANTED.—Addresses of importers and consnmers of Bamboo. D. F. Mitchell, Jacluwllville, Fla.

6008.—For manufacturers of slot lll i !) afe "

Sawmill machinery and outfits manufactured by the Lane : f/. Co.. Box 13, Montpelier, Vt.

Inquiry No. 6001.-For parties engaged In malleable castmg worl; brass work, etc.

American inv(ntionf negotiated in lnrope. \elzel & Hamburger, EqUItable Building, Berlin, Germu'y.

Inquiry No. 6010.-1'01 manufacturers of carpeJlten;' tools.

Agents wallted to sell the Ryede puzzle. Sample by Illail for 10c0 l yede SpeCialty , ork., Rochester, **N. Y.**

Inquiry No. 6011.—For makers ot' prism glass.

The celebrated "Hornsby-Akroyd" Patent Safety Oil Ellgme is built by the **De** La Vergue Machine CO I Dany Foot **of East** 138th Street, New York.

Inquiry No. 601 .- or manufacturers of cork-cutting machinery.

Patented inventiuns of brass, bronze, composition or uluminum eonstruction placed on marlret. \rite to Am8riean Brass Foundry Co., Hyde Park. : as .

Inquiry No. 6 la.-]jor makers of cheap, small, ; \l) I U hne engme castings wi h working

For Sale or on **Royalty.**—Three United States and Canadian patents ou heating stoves and furnaces; or would like to incorporate. F. G. Pioch, Provo, Etah.

Inquiry No. 601'.-For manufacturers of machinery for SaWIIlg and quarrying sand stOlle.

NEW INVE "IoN.-Heceipt for shue polish, the best ever illvented. For sale by chemist. Address Chemist, BOX 773, New York.

l d I S]Y; e 1 m i . the manufacturers of the

☞ Send for !ew and complete catalogue of SCientific and other Hooks for sale by Munn & Co., 361 Broadway :ew York. 'ree on application

Inquiry No. 6016.—For manufacturers of addressing machines.

In buying 01' selling patents mOlley may be fuved and time gained by w'iting ChaR. A. Scott, 719 'utual Life Buildmg, Bufalo, New York.

No. 6017. For mallufactureri uf life preseI, : i Juse on steamers.

'ie manufacture anything in metaJ. Patented articles. metal stumping, dies, screw mach. work, etc., :letal ovelty WorkS, 43 Canal 1reet, ChiCago.

Inquiry No. fiO1 .-For makers uf stills.

WANTED.-Back numbers: Automobile, October, 1HOD; Motor Vehicle Review. 1902; Motor Age, 1900; Motor Age, 1901. Mrs. C. F. 3 acnermot, Hotel rlouraine, Bost'on, 'lass.

Inquiry No. 6011.-For manufacture of aerated water.

Manufacturers of patent artcles. dies. metal stamDing, screw machine work, hardware speCialties, machi ery and toois. Quadriga Manufacturing Company, 18 onth Canal Street, Chica2o.

Inquiry No. 6020.—For a machine for printin'! on tooth brush handles.

Fon SALE.—Patent on rotary engine, explosive. Pltent No. 759,953. The pnly rotary explolRlve engine that confines the gasoline in the explosion chamber till it has great forCe before it ftriln's the piston. D. V. Bagwell, 4840 Papin Street. ;1. Louis,) 0.

Inquiry No. 6021.-F'or manufacturers of bottle corks.

D. A. Beaton, Praetical I,ead Burner, P. O. Box 334 \OLUI'll, Jfa s. Fifteenyear R' experience.

Inquiry No. 6022.-for dealprs ill tamped and tiuted sofa pillow Covers.

Inquiry No. 60 3.-FQr importers of tea and coffee.

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or 110 attfltiol will lit paid thereto. This Is .or our information and Hot for IIIblil'utiOll.

References to foruwr articles or answers should give dute of pape: aw page or number of question.

Inquiries Ilot anSwerpd in reasonable time should. be I'cppatpd; (OI'IISJO I IltS will bear in mind that some answers rpqnirl: not a liUIV I'rst'l[ch, and, though we tndp:VOI' to reply to all either by lettf[' or in this department, each mnst take his turn.

Buyers wishing to pUI'chasE' any arti('lp not auvf't-tjsed in our columns will b(furnish(d with addresses of houses manufacturing or carrying the same.

Special Written Information Olt matters of per80nal rather than g(IIPPal interest cannot he expected without remuneration,

Scientific American Supplements r",f(I1C(to may be had at thr OtiP. Price 10 cents each.

Books referred to promptly SUPIIIifd on reclipt of prIce.

Minerals sent for (xaminutiOll should be uistinctly markpu OI' lauCIC(t.

(9461) G. W. T, says: Seeing that YOIII publication unswel'l almost anything in the scientific linp, I would he pleased to k IOW if you c:in tell me of SOIIC substance that a Illagnet will not draw through. A. Magnetic attraction takes vlaee through all excepting magnetit substance. PI':(tiCaJly, iron i thp ouly available magnetic s nI'n. If a magnetic needle is indoRed in iron, exterior magIIPtisIII will affect it but litUe. The iron should be rather thick—at least a quarter of an inch. The I'(a8un for the screening action of iron is that rnaglw(ic lines of force paSH thPOIIgh iron morf easily thau through 011111' materials. When iron lips in their path they take to it) (uld do not p.:s through the adjactnt air. A IWt<lp .IIJ(IoNe(1 in iron is thus sCI'e(ned from magnetisHl.

(9462) K. A. E. asks: Will you kindly answer me in the Notes and Queries of the SCIENTIFIC AMERICAN the following Qnestion: How is nickel-plating to be made? A. For plniing With nickel) the doulllp sulphate of nickp] and ammonia i8 almost universally n:(d. Tlle salt iN dissolved by boiling. taking 12 to 14 ounces to 1 galloll of watpr. The density of the electrolyte shollld be 6.5 <Pg. to 7 d(g. Baumé. CaNt anodes are preferred. 'ThpH(should be larg(Pllough to reach to the bottom of the work, and ha\e a Rlr/acp larger than thp work to be plat[Eu. 'lll(\oltage may be from 3.5 to 6 volts, while the current should be from 1 to 2 ampe1PS for eyery 37.5 square i]1(lips to be plated. For full instructions we would refer you to Watts' "Electro Plating," which we can fnrnish for $4.50, 01 to Langbein's "Electro-Deposition of Metals," prire, $4. Yan Horne's "Modern Electroplating," prke $1, is a good, ihou.11 fInall) book, which may be a sufficient gni(e.

(9463) A. E. F. says: 1. How can I dttpl'llline when tll(condcnsfl' of nn induction coil is of proper size? What i: the ptect of onp too lal'ge': A. An induction Coil gives its greatest length and intensity of spark only \lll'n the condenser is of the proper size. The Hpark is diminisIIPd if the cond(ns(r is either too lal'g'e or too :mall. 2. I have a small Apatk coil of the following diIIPIIsions: Length insidp of end pieces, 3 inches; diameter of corp, 9-16 ineh: primary winding, two layers No. 18; secondary winding, 3 ounces No. 36 cotton-covered wire: diameter to outside of secondary \inding, 1 11-16 illclws. I have hefn abI< to obtain a ½-inch spark with this (oil, anl wonld Hkp to know how to V]O('PU to construct OLe of say twi('p the NJar). length of this one. .y lpuson fol' asking this iH that I stem to have acquired, \iih a Hmall amount of SfCOIIHal', wiIP, the results whi('h are obtained with ¾ of a ponnd or So. 36 silk-coVPIpd wire uc('ording to the usual directions for rnaldng Rnch coils, but I (o not know ho\ to proportinn tllP dilensiolIR fol' a 1:1'gPI eoil on the Ramf lille in older to obtain the II'st results. A. 'IH' proportioning of C()ilH is tll(result of experien('f. Of course, there a!'e fO'rnn1:IH for (xpl'pssin,l' the data of construction, but \P do not think the ordinal'Y mechanic emploYH them. rro rakp a Coil to giy(a spark twi('e as 10ng as anoIIIPI' coil, yon will not be l'tqnired to rala the dinwllsions twice as gTfat, but something 1(SH than this. All dimensions lOllld be inCIPPIRPd. A set of Coils from thp RHme :hop will IIRuall, present a symmetrical inl'}eaNP of power. 3. Should I increase the length, the tlinllwt(r of the Core, USO a IHlgPI' si;p wjre for the primary fnd increase the diameter of the SP(oIHaTY winding) and in whnt proportions? Also, if this admits of a di't('t answer, what iR a practical maximum (iuuH't(r of an indllction coil, compared to itR length? A. Different manufacturers diJ(r in (lpsigniug coils, and it wonlf be dif('ult. if not impossible, to reduce the ratio of jpnglh to diam(tel', 4. If the outside end of th(secondarY wirP is prevented from coming near any part of the primary cil-('uit, iR thpI'E any ttnd0IH'. to hl'pak down the insulation IWt\ ((Il the primary and s('ondal'Y windings? If RO, wh ? A. ThpI'P is a tPldel(,y to br(ak down th" insulation of the secondary at aU pointR, the gl(al('sl' at points most widely S('I IH{pd. 'lhp I'('HHon for this i8 that tlP electromotive fol'cP rises in tht secondary from the negative to the positive end proportionately to the number of tUI'l of wire.

NEW BOOKS, ETC.

ELECTRICITY AND MATTER. By J. J. Thomson, D.Sc., LL.D., Ph.D., F.R.S. New York: Charles Scribner's Sons, 1904. 8vo.; pp. 162. Price, $1.25.

rrhiH lJOok contains six lectures given by Prof. Thomsol in May of la t yenl', at Yalp (-nivel'sity. In them hp dlr('u s('d the bearing of the recent advances made in electrical :-wipllce on our vipY of thp (onHjitution of matter and the nature of electricity. The relation betwP('n matter and plpclrieily, whieh ltas Ilfen a characteristic rpatUI'(of le(pnt electrical researches, such as the study and dl:'oYP:'Y of U()(nt '('n raYH and rauiulll, is h 'Pe vpry thol'onghly <l b 'IIHsed. The book (ontainR chapters on the "Representation of thp Electric Fie d fly Lines of Force"; "Electrical and Bound Mass"; "Effects Hue to the Acceleration of Faraday Tubes"; the "Atomic HtrUetlIC of Electricity"; the "Constitution of the Atom"; and "Radio-activity and Radio-active Substances."

ATLANTE DI MACCHINE E CALDAIE CON TPITO E NOTE DI TECNOLOGIA. Per Salvatore Dinaro. Milan: Ulrico Hoepli, 1903. 16mo.; pp. 80.

TIlis iR a IINPful handbook on steam boilers, steam engines, gagPN, and various kinds of steam machinery. It is abundantly illustrated with 112 fnll-page diagrums.

RICETTARIO INDUSTRIALE. By Ing. I. Ghersi. Milan: Ulrico Hoepli, 1904. 16mo.; pp. 703.

This is a book of valnable re(eipLs for alt traaps. arH. and industrieR. It is arranged in alphabetical order, and, beRides the recpi]d.s, there an' a llinnocr of physical and chcmi-al tables of vahi'.

DIE WETTERKRÄFTE DER STRAHLENDEN PLANETENATMOSPHÄREN. Von C. Marti, Sekundar-Lehrer in Nidau, Schweis. Nidau: Buchdruckerei E. Weber, 1904. Pp. 40.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending September 13, 1904

AND EACH BEARING THAT DATE

Lixe note at end of list about COlines of these patents.

,udillg machine, S. H. Drysdule	769,892
Advertising display means, J. W. May	769,868
Air brake coupling, automatic, F. M. Caron	770,160
Air brake lit dwuisJU for cars, automatic, W. Sauvage	769,838
Air brake mechanism .or railway (ar8, automatic, W. H. Sauvage	769,839
Amusement apparatus, C. V. Johnson	770,071
Artillery, naval or military, G. C. J. 'rOIIP.	770,200
Atomizer, I. Q. Gurnee	769,741
Automatic regulator, W. S. Moody	770,017
Axle box lubricating packing holder, car, J. S. Patten	770,242
Bagging machine, D. L. Whittle	769,783
Baling press, F. G. Da i	769,692
Baling press, J. Kenup	769,826
Battery plate IIloIII, Wood & McMullan	770,139
Led bottom, N. R. Murphy	770,090
Bedclothes clamp, A. Grandjean	770,003
Bell, P. C. Arnold	770,211
Belt guide, automatic, G. S. rrhOIUIIson	769,850
Belt or Cjwin, Hnk, C. M. LeWis	770,081
Hplting, T. Gingras	770,063
Bicycle coaster brake and hub, So N. lapp,	769,918
Bicycle (ltdal foe clip, C. F. Cooper	769,940
Dill head or statement sheet and envelop, W. H. Bassinger	769,933
Binder and lock therefor, H. E. Dade	769,857
Binder, loose leaf, C. R. 1el;on....770,020,	770,021
Binder, temporary, J. B. Barlow	769,686
Block. ('e Tramway IIJ(leN.	
Block signal system, F. B. Corey	769,983
Bluing stick, L. N. Iuppenlatz	769,800
Boiler furnace, steam, D. L. Shafer	770,122
Holt HudJOI', H. B. Newhall	770,022
Book, lodge account, and lecpipt, J. C. Scoggins	770,120
Bookcase, sectional, J. Mauro	769,705
Boring machine, C. W. H. Blood	770,156
Bottle, J. Fitzpatrick	769,894
Bottle, non-refillable, W. V. K. Ayres	769,979
Bottle, non-refillable, P. 1cGrath	770,095
Bottle or jar closure, G. T. Reed	769,960
HoUh' stoP]HT, non-refillable, J. B. Ross	770,117
Botde \\ashing apparatus, M. Feuerstein	769,733
Branding iron, F. France	769,735
Breathing apparatus, C. W. Madsen	769,755
Brick drying plant, G. Pagpl	770,186
Brick mold, E. W. Seamans	769,771
Bridge SigIUl, L. AJII'n	770,036
Broiler, F. F. nell(IPiek oll	769,745
Brooding and Hursing allPIPatIR, stock, G. Elsold	769,992
Bucket, bait, R. H. Paar	769,874
Buckle, harness, M. E. Z(IIPI'	770,035
Building blu(R molding press, G. H. D(,IIOII.	769,819
Bunsen burner. T. RmHh	769,806
Burning apparatus, pulverulent fuel, W. F. \olfp	769,974
Button blanks frolll shells, machine for manufacturing, C. Schroepfer	769,922
Button, cuff, F. E. Farnham	769,732
Cabinet, McCrory & Vogel	770,093
Cake or doughnut cutter, G. W. Baler	769,932
(:aIIRlatillg machine, C. M. Furman, Jr.	770,061
(Illip(]'s, C. F. Lamb	769,908
Camera, L. Nesemann	770,100
Cameras, lens carriage clamp for photographic, F. B. Case	770,220
Can body machine f('e(l mechanism, E. Zeh.	769,927
Can closure, F. Ginet	769,899
Can or receptacle for dI'tkles of merchandise, J. C. Kinsey	770,075
(Illldy forming machine, B. B. Bowers	769,887
Canned substances, processing, H. C. Gardner	769,737
Car chair, G. W. Chambers	770,161
(:ar construction, H. F. Vogd	770,132
Car COIIIpling, O. M. Grupe	770,004
Car door oll(IIi]g and closing mechanism, J. R. Carmer	769,687
Car sign turning device, cleeiric, J. M. Smith	770,125
Car stake (ap. A. A. McIntosh	770,096
Car stopper, R. R. Williars	769,926
Car, stl'pet, C. B. Price	770,107

Car, tank, G. I. King 769,906
Car, tank, A. Stucki 769,924
Car unloading device, Sheehan & Johnson.. 769,923
Carpet stretcher, J. P. Gallagher 769,736
Carpet stretcher, F. Fererro 769,994
Carrier. See Work carrier.
Cartons or folding boxes, machine for making, L. S. Burbank 770,159
Carving machine, G. A. Baghurst 769,931
Casting apparatus, bar or rod, J. O. E. Trotz 770,130
Cement kiln, F. M. Haldeman 769,742
Chain, drive, C. E. Whitney 769,971
Cheese cutter, G. W. Martin 769,827
Cheese cutting machine, M. Foran..... 769,999
Cheese gage, W. H. Frank 770,059
Cheese, manufacture of Roquefort, J. A. Trillat 770,030
Chuck, drill, C. R. Pascucillo 769,956
Chute, coal cart or wagon discharge, J. Gibson 769,898
Cigarettes, etc., machine for rolling, T. Moesinger 770,240
Circuit breaker, time limit, E. M. Hewlett. 770,007
Circuit protecting device, E. W. Rice, Jr.... 769,961
Clothes drier, T. M. Anderson 770,037
Club or baton, E. J. Trout 769,880
Clutch for variable speed counter shafts, I. M. Foster 770,057
Coat and hat hook, wire, R. Washburn 769,809
Cock, stop and waste, P. Healey 770,173
Coin actuated mechanism, M. N. Tomblin. 769,781
Coke oven, P. Bauer 770,151
Collar, A. Johnson 770,070
Collector ring and means for securing it into position, H. F. T. Erben 769,993
Color binding mediums, production of, C. H. Voigt 770,202
Compass correcting device, F. Morrison ... 769,870
Composite structure, H. A. Crane 769,941
Composition of matter, E. C. May 770,083
Condenser, O. S. Still 770,127
Conveyor, H. H. Bighouse 770,155
Conveyor rollers, F. N. Merrill 770,015
Cooking implement, S. Greenfeld 769,823
Copy press, M. J. Foyer 769,795
Copying press, M. J. Foyer..... 769,821
Corn fork, hot, F. Peters 770,164
Coupling, J. Gapp 769,896
Crushing or pulverizing mill, E. C. Grimm.. 769,740
Crutch, W. A. Phillips 770,023
Cultivator, rolling disk, H. B. Furr..... 769,822
Cultivator tooth, O. E. Johnston..... 769,748
Culvert, A. Lauridtzen 769,763, 770,236, 770,237
Current machinery, alternating, A. S. McAllister 770,091, 770,092
Currying machine, automatic, F. Loge 769,753
Curtain bracket, B. L. Forshee 770,056
Curtain fixture, C. A. Roth 769,715
Curtain fixture, W. H. Forsyth 769,895
Curtain pole, A. E. Hunter 770,069
Curtain rod support, J. E. Fanning 769,859
Curtain stop, R. E. Waggeley 769,925
Damper regulator, G. R. Smith 769,844
Dental appliance, F. C. Rood..... 770,115
Dental instrument, J. Mills 769,758
Dental tool, R. M. Chase 770,162
Dentistry, D. T. Hill 770,066
Display rack, C. L. Taylor 769,848
Display stand, Doize & Ducomos 770,172
Dobby and Jacquard device, combined, H. Reufer 770,112
Door, grain, G. L. Merrill 769,706
Draft equalizer, H. H. Opdahl, Jr..... 769,765
Draft equalizer, O. O. Fjeld 769,861
Drain inlet for surface water, tile, H. N. Neireiter 770,019
Dredges, lower tumbler and ladder end for elevator, Knox & Ferris 770,011
Drier. See Clothes drier.
Dumping mechanism, T. Lawson 769,752
Dumping receptacle, W. McMahon 770,097
Dust collector and separator, Venderbush & Looman 769,808
Dye and making same, azo, P. Julius et al. 770,177
Dynamo, M. C. Burt 769,815
Dynamo mounting for railway car trucks, W. F. Richards 769,920
Dynamo regulator, G. S. Neeley 770,098
Dynamo voltage regulator, G. S. Neeley.... 770,099
Ear, E. L. Williams 770,208
Edge tool, J. E. Eaton 769,858
Electric apparatus, vapor, M. von Recklinghausen 770,109
Electric circuit cut out or fuse, O. Feuerlein. 769,995
Electric lighting device, O. Gergacsevics ... 769,739
Electric machines, brush and brush holder for magneto, E. B. Jacobson 770,175
Electric meter, T. Duncan .....769,986 to 769,988
Electric motor brake, L. A. Tirrill 770,028
Electric motor control system, multiple, W. Baxter, Jr. 769,812
Electric motors, controlling, Kennedy & Pocock 770,073
Electric switch, Keller & Kadow 769,698
Electrical connector, P. H. Fielding 770,054
Electrical distribution system, W. L. R. Emmet 769,991
Electrical indicator, W. J. Forrest, Jr..... 770,230
Electrical switch, H. W. Cox 770,166
Electrode, battery, Wood & McMullan..... 770,140
Electrode waste in gas or vapor electric devices, replenishing, P. H. Thomas 770,198
Electrolytic meter, H. I. Wood 770,033
Electromedical appliance, S. H. Linn 770,014
Electroplating machine, J. Bailey 770,148
Energy, means for protection against reversal of, L. Wilson 769,973
Engine gas and air mixer, gas, M. F. Bates. 770,212
Eraser, H. O. Keferstein 769,946
Excavating apparatus, T. F. Moore 769,828
Explosive, H. von Dahmen 770,046, 770,047
Eyeglass lock nut, W. F. Todd 770,029
Eyeglasses, F. X. Gartland 770,001
Eyesight test cabinet, W. A. Rosenbaum ... 769,805
Fan motor, rotary, J. W. Miller 770,086
Fastener, J. D. Strickler ...769,777, 769,780, 769,807
Feed water purifier and filter, W. Dougherty 769,792
Fence post device, I. M. Warner 769,967
Fertilizer distributer, L. W. Hamilton..... 770,064
Fertilizer distributer, J. H. Howard..... 770,174
File, F. X. Boehler 769,724
File, C. B. Smith 769,772
File, corn, or callous, Johnson & Ziegler.. 770,176
Fire alarm, electric, W. B. Hopkinson 769,824
Fire escape, C. Kramer 770,012
Fireproof drop curtain, J. H. Channon 769,788
Fireproof shutter, Beckmann & Bohle..... 770,042
Fish trap, O. Melbye 769,910
Floors, plastic composition for covering, H. Linnekogel 770,082
Flue cutter, J. W. Faessler 770,052
Flue stopper and cap, combined, H. J. Saecker 769,837
Fly paper, receptacle for shipping and exposing, T. D. Nostrand 769,915
Flying machine, G. W. Thompson 769,721
Folding box or crate, S. G. Williams 770,138
Foot rest, detachable, A. O. Warren 770,205
Friction device, L. A. Shepard 769,841
Fruit picker, J. H. Widdicombe 769,722
Furnace, T. G. Selleck 770,025
Furnace charging apparatus, blast, W. R. Reece 770,111
Furnace flues, apparatus for making deeply corrugated, W. Rainforth 770,108
Furnace for the combustion or destruction of refuse, shaft, H. Ochwat 769,872
Furnace rabble, roasting, M. Corcoran..... 769,689
Furniture leg attachment, W. H. Klein 769,699
Furniture lock, L. J. Kutz 769,949
Fuse, G. Wright 770,034
Fuse, projectile, H. P. Merriam.... 770,084, 770,183
Fuses, etc., safety locking device for projectile, H. P. Merriam 770,182
Garment supporter clasp, G. E. Prentice ... 769,875
Gas or vapor electric apparatus, P. C. Hewitt 770,233
Gas or vapor electric device, P. H. Thomas. 770,197
Gas, purifying, W. O. Felt 769,860
Gas purifying apparatus, J. E. Pregardien.. 769,713
Gate. See Irrigating ditch head gate.
Gate, G. E. Barnhart 769,784
Gate, W. I. Cox 769,888
Gate, J. Flinner 769,997
Gold saving apparatus, J. S. Bollinger 769,886
Golf club, C. E. Clark 769,939
Governor attachment, I. Arrasmith 770,146
Grader, road, W. Alcorn 770,145
Grain conveyer, E. M. Kramer 769,947
Grain separator, E. M. Kramer 769,948
Grape berry stripping and crushing machine, E. Bach 770,038
Grate sifting attachment, J. G. & J. B. Lamotte 769,950
Grillework, C. W. Smith 769,719
Grinding machine, D. H. Ruckle 770,246
Grindstone truing machine, rotary, C. W. Hovland 769,945
Gun carriage wheel brake, Lauber & Koch.. 770,178
Hame fastener, J. H. Wilson 770,209
Hammock support tripod, W. J. Noble 769,913
Harness plume, A. Rutherford 770,188
Harvester and husker, corn, L. E. Harding. 769,744
Harvester, pea, H. J. Case 769,937
Harvester, traveling, J. Trethewey 769,965
Hat provided with receptacle, J. Y. Werrick 770,031
Haulage system, H. S. Moore 769,911
Hay fork, horse, A. J. Miller 770,085
Hay rake, M. R. Jenkins 770,009
Headlight, G. J. Smith 770,193
Hoisting apparatus, C. W. Hunt ..769,902, 769,904
Hoisting apparatus, R. L. Davis 770,170
Hoisting apparatus automatic check and release mechanism, C. de Mocomble 770,087
Hoof trimmer, lever, Steinheimer & Miller.. 769,776
Hook, A. H. Cobb 770,163
Hosiery, seamless, G. H. Gilbert 770,231
Hot air register attachment, W. A. Kilmer, et al. 770,074
Hunting knife, folding, M. H. Rowland 770,118
Husking implement, H. J. Tillia 769,964
Hydrocarbon vapor burner, H. B. Cary 769,981
Hydrogen carbid, producing, H. S. Blackmore 770,214
Incubator heater, G. R. Smith 770,124
Index or the like, card, B. Brower 769,855
Inhaler, S. H. Linn 770,013
Ink, H. H. Spohn 769,774
Ink well, G. M. Hudson 769,825
Insulated electrical conductors, flexible metallic tubing for armoring, W. H. K. Bowley 770,218
Interchangeable coupling, A. Dorgans 770,049
Irrigating ditch head gate, W. J. Warren.. 769,968
Jar closure, C. Fricke 770,060
Jar covers, tool for repairing, F. A. Rothgery 769,716
Jar lock and protector, S. S. Stocker 769,846
Jar or bottle closure, W. H. W. Jones 769,866
Jars, bottles, etc., locking device for the closures or stoppers of, F. Canfield 769,816
Joist hanger, W. D. Dreyer 770,050
Juice extractor, W. Bruen 769,785
Kettle, steam jacketed, W. L. Culver 770,045
Kiln. See Cement kiln.
Knife blade holder, adjustable, H. E. Britington 770,135
Knob attachment, N. W. Crandall 769,817
Knotter gearing, Rector & Rosbury 770,110
Lamp bulb, incandescent, F. M. F. Cazin ... 770,223
Lamp, electric arc, F. Sindingchristensen .. 769,842
Lamp, electric arc, R. Fleming 769,996
Lamp, gas or vapor electric, P. C. Hewitt.. 770,232
Lamp, hydrocarbon incandescent, G. Washington 770,135
Lamps, manufacture of electric incandescent, F. M. F. Cazin 770,222
Lantern, dark room, W. S. Davenport 769,691
Last, H. O. Davis 770,048
Lead gage and arbor level, M. C. Barry... 770,150
Life preserver, A. Tann 769,847
Lightning arrester, W. H. & J. E. Geist .. 769,738
Liquid cooling apparatus, A. Siebert 770,190
Lock, B. Phelps 769,768 769,769
Lock and latch keeper plate, B. Phelps ... 769,770
Log carriage steam feed strainer, F. S. Stevens 769,720
Loom for tufted or pile fabrics, C. Vorwerk 769,851
Loom harness motion, C. F. Roper 770,116
Loom head motion, R. Crompton 770,167
Loom motion, jumper or half and return, W. A. Hilton 770,067
Loom selvage motion, C. F. Roper 769,921
Loom shedding mechanism, R. Crompton .. 770,168
Loom shuttle, Steere & Wardwell..... 769,845
Loom shuttle, self threading, J. Northrop.. 769,914
Loom weft replenishing mechanism, C. Hamig 769,865
Mailing machine, E. S. Reed 769,834
Mandrel holding and operating machine, W. N. Jones 770,072
Maroons, preserving, G. B. Raffetto 770,187
Mattress, spring, C. G. Smith 769,843
Measuring device, foot, Hertzler & Smith.. 770,065
Measuring instrument, combination, W. B. Terry 769,849
Measuring instrument, electrical, T. Duncan. 769,984, 769,985, 769,989
Metallurgical furnace, tilting, J. A. Potter. 769,712
Mirror frame, L. B. Prahar 770,106
Mold, Schoellhorn & Albrecht 770,189
Molding, F. E. Mafne 769,867
Molding machine, J. Reid, Jr. 770,243
Mordanting, A. Muller-Jacobs 769,954
Mosaic, W. Mainzer 769,704
Motor control system, C. E. Barry 770,040
Music playing instrument, pneumatic, C. L. Davis 769,889
Music sheet with guarded fastening device, perforated, E. R. Perkins 770,103
Nail clipper, manicure, H. Wilcox 770,032
Nail extractor, W. C. Morrill 770,018
Necktie retainer, L. N. Marcil 769,757
Nest, hen's, C. W. Glandt 769,797
Net holder, fly, J. Wambsgans 770,204
Nut holder, Zwilling & Richards 770,144
Nut lock, C. Ryan 769,717
Oil feeder, J. W. Kirshman 770,077
Oil strainer and journal preserver, A. R. Warner 769,966
Optical illusions, apparatus for producing, M. C. Hopkins 769,799
Packing, metallic piston rod, F. S. Miller .. 770,016
Paint tube or receptacle, non-collapsible, A. W. Ziegler 769,928
Paper holder, toilet, A. E. Sexton 769,963
Paper milk bottle, J. C. Kimsey 770,076
Pattern, J. E. Price 769,958
Paving or roofing composition, manufacture of, H. F. Williams 770,137
Pawl and ratchet device, A. B. Case 769,982
Pencil holder, J. A. Lindberg 769,951
Pencil sharpening device, A. D. Fagrelius .. 770,053
Perfuming device, C. D. Hall 769,864
Phonographs, etc., horn for, Ruggiero & Bongiorno 770,024
Photography, color, W. C. South 769,773
Piano action, C. B. Klock 769,907
Piano player, C. Warren 769,852
Picker. See Fruit picker.
Picture hanger, J. H. Fowler 769,794
Picture hanging device, W. P. Gurr 769,695
Pillar, etc., base, C. E. Zimmermann 769,976
Pipe hanger, A. M. Hewlett 769,746
Pipes, connecting lead, T. B. Miller 769,869
Planter check row attachment, corn, E. C. Roberts 769,835
Planter, corn, J. N. Blevens 769,885
Plates, means for staying, J. M. McClellon. 769,762
Plow, S. L. Geddes 769,897
Polish rod holder, S. E. Jeutter 769,905
Polishing wheel, L. F. Thompson 770,199
Potato or fruit sorter, D. W. Lamb 770,079
Power press, H. Osswald 769,955
Precious metals from ores or slimes, extracting, H. R. Cassel 769,938
Printing, checking and recording machine, ticket, W. I. Ohmer, et al. 769,710
Printing press paper feeding apparatus, J. W. Hoag 769,747
Pumping or conveying device, pneumatic, W. J. Bell 770,153
Punch, T. H. Lovejoy 770,239
Pyrographical instrument, J. F. Burns 769,936
Rail covering, third, T. Buckley 770,158
Rail guard, third, J. H. Guest 769,862
Rail joint, W. P. & S. G. Thomson 770,248
Rail joint, suspended, W. P. & S. G. Thomson 770,026
Railway, electric, A. F. Batchelder 770,041
Railway safety device, P. A. Sawyer 769,962
Railway sanding device, C. Allenbach 769,929
Railway signaling system, F. Bongrand .. 769,813
Railway substructure, S. E. Duff 769,730
Railway switch operating device, street, H. S. Hale 769,900
Railway switches and signals by means of a single lever, apparatus for directly operating, Bleynie & Ducousso 769,934
Railway tie, Chipman & Reed 770,224
Railway tie, metallic, E. M. Kenly 770,234
Railway track wrench, E. F. Miltenberger.. 769,759
Receptacle stopper, E. C. Staudinger 769,775

Refrigerator, A. Woodward	769,882
Register, L. Ehrlich	769,893
Relay, McBerty & Crane	769,761
Rice-hulling machine, F. G. Dieterich	770,226
Rolling mill, tube, J. H. Nicholson	769,709
Rolling tubing, Stiefel & Nicholson	770,195
Rope fastener, Gartelman & Schnitger	770,062
Rotary generator, J. Delizy	769,891
Roundabout, Daniels & Yorutee	769,690
Roundabout, J. C. Scoggins	770,121
Sad iron heater, M. E. Hadden	770,005
Sad iron, self heating, H. B. Swartz	770,196
Sash weight molding apparatus, J. E. Price	769,959
Saw, G. G. McGill	770,094
Saw guide, swivel band, A. Pracna	770,105
Saw mill, band, W. M. Wilkin	770,136
Scale, self measuring, J. T. Jordan	769,697
Seed drill, R. Commichau	770,164
Seed drill, M. Mitchell	770,185
Seed separator, cotton, F. T. Pinter	769,711
Seeding machine feed, L. E. Roby	770,245
Sewing machine bobbin winding attachment, R. H. Legg	770,179
Sewing machine gage, M. L. Holderman	770,008
Sewing machine shuttle actuating mechanism, E. L. Bowers	770,217
Sewing or other machines, means for operating, N. Krawitzky	769,700
Shade trimming device, J. A. Tufts	770,131
Shade, window, Smith & Wilson	770,191
Shaft coupling, A. A. Ball, Jr.	770,039
Shaft lock, rotating, F. B. Case	770,219
Sharpening device, knife, T. Wilkins	769,723
Shearing machine, W. G. Prichard	769,917
Sheep shears, O. Bors	770,216
Ship steadying device, T. C. Forbes	769,693
Ships, magnetic curtain for covering leaks in, L. Kruger	770,078
Shirt holder, sample, W. A. Clark, Jr.	769,729
Shirt waist protector, M. Alshuler	769,930
Shoe heel anti-slipping attachment, P. Carroll	769,787
Shoe, low cut, W. W. Palmer	769,766
Shut off, J. G. Nehrbas	769,830
Shuttle locking mechanism, J. P. Johnson	769,801
Sickle bar, S. Hagar	770,006
Sign, street, M. Hofheimer	770,068
Signal. See Bridge signal.	
Signaling apparatus, wireless, L. De Forest	770,229
Signaling receiver, space, L. De Forest	770,228
Siphon closet, B. O. Tilden	770,027
Skirt fastener, J. Demsky	769,791
Skirt supporter, L. Wertheimer	769,970
Sleigh, Johnson & Pearson	770,010
Sliding gate, J. Trisler	770,201
Smoke consumer, R. O. Dobbin	770,171
Smoke house, E. T. Malloy	769,756
Smoking pipe, A. Parati	770,102
Snow melting apparatus, H. C. Davis	770,169
Sock lining, S. C. Whitmore	769,810
Socket number, J. D. Stirckler	769,778, 769,779
Soda water apparatus, etc., valve connection for, J. Cederstrom	769,688
Sorting machine, E. M. Lamb	770,235
Spinning frame thread guide, Skinner & Hardman	770,123
Sprocket wheel, C. P. Wilhelmsen	770,206
Spur, W. T. Hanaway	769,743
Square, combined center or other, G. M. Engel	769,992
Stanchion, T. J. Wallace	770,203
Static machine plate, H. E. & H. F. Waite	770,133
Steam boiler, J. R. Lowrey	769,754
Steam boiler, Schofield & Ross	770,247
Steam generator, hydrocarbon, B. Hall	769,901
Steam trap, L. F. Zilles	770,210
Still, turpentine, J. F. Bailey	770,149
Stoker, mechanical, A. E. Woodmansee	770,143
Storage battery, J. P. Wood	769,975
Stove platform, D. McIver	769,871
String cutter, G. R. Butler	769,726
Strong box for valuables, E. M. Wood	770,142
Strop, J. L. Coesir	770,225
Stump burner, C. T. McCarroll	769,708
Surgical instrument, I. K. Mott	769,829
Swing, lawn, T. L. Good	770,002
Swing, lawn, A. S. Lowe	770,181
Talking machine, H. W. Johnson	769,696
Tamper, J. Embleton	769,943
Telegraph sounder attachment, J. F. Mickey	770,184
Telemotor for steering ships or other uses, M. Pfatischer	769,916
Telephone attachment, W. S. Haddock	769,863
Telephone desk standard, C. L. Boyce	770,157
Telephone exchange switchboard apparatus, F. R. McBerty	769,760
Telephone system, two-wire multiple, Lattig & Goodrum	769,701
Telephone transmitter, Lattig & Goodrum	769,702
Telephone trunk lines, apparatus for through ringing on, J. L. McQuarrie	769,763
Tensional lock for adjusting screws, C. F. Splitdorf	770,194
Thill shifter, J. D. Ellis	769,990
Threshing machine sleve adjuster, O. E. Olsen	769,764
Ticket and destination check or transfer combined, system of railway, F. I. Welch	769,969
Time recorder ribbon feeding mechanism, Palmer & Kimball	770,241
Tire, Sherbondy & Sturgeon	769,718
Tire protecting device, pneumatic, E. Lapisse	770,080
Tongue shaping machine, C. W. Borg	769,980
Tool motor, portable, P. La Court	769,751
Torpedo grenade, A. Baumgart	769,884
Toy, S. Brom	769,935
Toy gun, Reid & Wilson	769,919
Toy sliding axle, E. P. Lehmann	769,802
Track gage, R. D. Billington	770,213
Traction wheel, W. D. Cottrell	769,789
Tramway block, gravity, A. D. Foote	769,998
Trap, B. O. Tilden	770,129
Trolley harp, E. D. Rockwell	770,113
Trolley wheel, W. T. Wilkinson	769,854
Trousers protector, R. Fox	770,000
Trousers stretcher, W. S. Wallace	770,134
Trousers stretcher and hanger, L. Geisert	769,694
Truss, B. Lindman	769,952
Tuning device, D. M. White	769,853
Turbine wheel, elastic fluid, J. Wilkinson	770,207
Twisting apparatus, yarn, A. E. Rhoades	770,244
Type writer, card, J. F. Allard	769,811
Type writer escapement mechanism, C. D. Rice, et al.	769,804
Type writing machine, A. M. Smith	770,192
Umbrella frame, P. Serge-Kisslow	769,877
Valve, I. N. Moore	770,088
Valve cage, pumping engine, W. Miller	769,707
Valve, convertible, Berkey & McKeever	770,154
Valve for blowing engines, automatic air discharge, A. K. Rarig	769,833
Valve reseating device, A. M. Lockett	770,180
Valve, safety, Bode & Kegler	770,043
Valve seats, securing, J. E. L. Ogden	769,831
Vehicle brake, L. G. Nilson	770,101
Vehicle chain adjustment, motor, H. Ford	769,734
Vehicle, especially that used on common roads, B. J. Diplock	769,820
Vehicle lubricator, H. B. Burdick	769,786
Vehicle, rub roller, C. G. Walker	769,881
Vehicle spring, pneumatic, B. F. Teal	770,128
Vehicles, brake leather holder for road, J. J. Russell	769,836
Vehicles, transmission gearing for motor, C. Schmidt	769,840
Veneer trunks or other hollow packages, press for wood, H. Romunder	770,114
Vessel, containing and dispensing, Blatz & Fales	770,215
Vibrator, B. L. W. & E. L. Hanfeld	769,798
Vise, pipe, Bufford & Hickman	769,814
Vitreous articles, apparatus for use in uniting, F. M. F. Cazin	770,221
Wagon and operating table, combined hospital, P. K. Bechtel	770,152
Wagon draw hook and draw bar, P. D. Doyle	769,793
Wagon, dump, T. Faulder	769,944
Wagon, dump, H. A. Moyer	770,089
Wagon, dumping, C. S. Pharis	769,957
Wagon, rotary dump, F. H. Tuxill	769,782
Wagon, sand, S. W. Albertson	769,977
Wagon seat, reversible, M. A. Schuster	769,876
Washer, C. G. Ette	769,731
Washing machine, P. Cunneen	769,818
Washing machine, S. W. Anderson	769,883
Washing machine, E. L. Davis	769,890
Watchcase opener, R. H. Paar	769,873
Watch charm, J. McLean	769,912
Water gage, E. C. & C. B. Wood	770,141
Water heater, G. H. Minier	769,953

Water heater or steam generator, A. W. Finlayson 770,055
Water purifier, F. G. Kune 769,750
Water purifying apparatus, F. G. Kune 769,749
Water purifying apparatus, R. H. Wiles 769,972
Water purifying tank attachment, W. Curtis 769,856
Weed cutter and cultivator, combined, L. C. Preston 769,832
Weighing machine, automatic, A. W. Livingston 769,909
Weighing machine with sliding weight, E. Steiger 770,126
Welding mechanism, lap tube, A. M. Saunders 770,119
Well sinking apparatus, M. T. Chapman 769,727, 769,728
Wheel construction, W. A. Gilmer 769,796
Wheel structure, loose, W. L. Austin 770,147
Window construction, E. H. Lunken 769,803
Window lock, B. Phelps 769,767
Wire drawing machine, E. H. Carroll 770,044
Wire stretcher, N. H. Sturgis 769,878
Wire stretcher, D. Donald 770,227
Wire tightener, J. Riley 769,714
Wire working tool, N. J. Tate 769,879
Wood graining machine, B. W. Augustine 769,978
Work carrier, G. A. Ensign 770,051
Woven interlining fabric, G. S. Cox 769,790
Wrench. See Railway track wrench.
Wrench, R. J. Cosseboom 770,165
Wrench and vise, convertible, W. P. Foster 770,058

DESIGNS.

Badge, C. L. Jennings 37,125
Badge, campaign, S. I. Van Dersal 37,126
Button hooks or similar articles, handle for, S. A. Keller 37,128
Casket trimming, W. E. Stevens 37,131
Coat and hat rack, J. Dyer 37,129
Hammock cloth, D. W. Shoyer 37,132
Paper cutters or similar articles, handle for, S. A. Keller 37,127
Rug, E. H. Bennett .... 37,134 to 37,139
Stove, Cope & Bertram 37,130
Upholstery fabric, P. Bonnet 37,133

TRADE MARKS.

Abrading and burnishing powders, C. D. Durkee 43,362
Asphalt, asphalt gum, and asphalt paint, F. Callahan 43,363
Belting, Gandy Belting Co. 43,350, 43,351
Beverages and syrup for the same, carbonated, Mintola Company 43,355
Car vestibule diaphragms and their parts, Acme Supply Co. 43,361
Carbon blacks, Union Carbide Co. 43,341
Cards, playing, Standard Card Game Co. 43,345
Cough lozenges, A. A. Allen Company 43,359
Extracts, flavoring, Bennett Chemical Co. 43,357
Fabrics, cotton, Siemssen & Co., 43,326 to 43,330, 43,347
Flour, Cobb, Bates & Yerxa Co. 43,352
Foods and reconstructives for invalids, Fairchild Bros. & Foster 43,334
Goods in the piece, white, John Pullman & Co. 43,325
Hay, baled, Scott & Woodrow 43,364
Hosiery, ladies', A. E. Little & Co. 43,333
Mattresses, W. H. Robinson 43,349
Medical compound, certain named, S. B. Goff & Sons Co. 43,335
Medicinal compound for certain named diseases, B. J. Kister 43,338
Medicines or remedies, worm, J. D. Wolf 43,337
Mirrors, Charles J. Clark Manufacturing Co. 43,340
Night robes and pajamas, Steiner & Son 43,331
Perfumery, Colgate & Co. 43,358
Remedies for certain named diseases, G. T. Hollister 43,336
Remedy for the prevention and cure of hog cholera, P. O. Harrier & Co. 43,339
Screw drivers and hand drills, North Bros. Mfg. Co. 43,360
Search lights, portable, Uehling Decker Co. 43,344
Shoes, ladies' leather, M. J. Whitman Co. 43,348
Steel, high speed cutting tool, C. E. Manby 43,342
Tea, M. Gillet & Co. 43,353, 43,354
Watch movements, B. L. Strasburger & Co. 43,346
Whisky, W. A. Gaines & Co. 43,356
Wire, steel, American Felt Co. 43,343
Wrappers and dressing sacks, ladies', Stiles-Freas-Smith Co. 43,332

LABELS.

"Arrow," for loaded paper shells, Union Metallic Cartridge Co. 11,371
"Cedar of Lebanon," for shawls and scarfs, N. Naja 11,369
"Creighton's Pulmonary Balsam," for cough syrup, B. T. Creighton 11,386
"Dr. Gregg's Syrup of Roots and Herbs," for medicine, Thomas & Smith 11,391
"Dr. Lobb's True Homoeopathic Cure," for medical preparations, Krusen & Co. 11,392
"Eclipse," for refrigerators, butchers' tools, machinery, and supplies, B. Gloekler 11,393
"Farmers Stock Food," for stock food, D. S. Ragon 11,385
"Flor de Alfolla," for cigars, Schmidt & Co. 11,381
"Hytone," for toilet paper, Scott Paper Co. 11,373
"J. M. McClelland's Crystal Drops," for medicine, J. M. McClelland 11,390
"Katzen Yamer Kur," for medicine, A.C. Hewitt 11,388
"Keystone Remedies U M P Co.," for medicine, J. H. Carter 11,387
"Knights of Labor, Union Made Cigars," for cigars, Order of the Knights of Labor 11,380
"Lawrence Hutton," for cigars, C. B. Henschel Mfg. Co. 11,378
"McKinley Tea," for medicine, C. O. Larter 11,389
"Nitro Club," for loaded paper shells, Union Metallic Cartridge Co. 11,372
"Obelisk of Pharoah," for shawls and scarfs, N. Naja 11,370
"Peachey," for tobacco, J. S. Geller 11,377
"Pilot Boat," for confectionery, E. W. Naylor 11,382
"Quicksel," for toilet paper, Scott Paper Co. 11,374
"Relegud," for toilet paper, Scott Paper Co. 11,375
"T. M. Kildow Cigar, Bethesda, Ohio," for cigars, Central Lithograph Co. 11,379
"Veg-Oil," for soap, Puck Soap Company 11,376
"White House," for condensed milk, Eastern Condensed Milk Co. 11,383
"White House Brand Tomatoes," for tomatoes, Nininger & Frantz 11,384

PRINTS.

"Before and After," for clothing, Louis J. Cahn Supply Co. 1,089
"Before You Say Flour Say Gold Medal,—Always," for flour, Washburn, Crosby Co. 1,086
"Eastlake, Imperial, Majestic, Lily of the Valley, Shamrock, and Geometric backs, Congress Playing Cards," for playing cards, United States Playing Card Co. 1,090
"Fairchild Preparations," for medicinal preparations, Fairchild Bros. & Foster 1,088
"It's Like Putting Money in the Bank," for flour, Washburn, Crosby Co. 1,085
"The Record of the Oracle," for spice for animals, Myers Royal Spice Co. 1,087

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list. For terms and further particulars address Munn & Co., 361 Broadway, New York.

GRAM 7

dential. He said that Mr. Root was expected back in the city to-day and that he hoped to see him. If Mr. Root, he said, informed him that he had no objection to the publication of the letter, it would be given out.

Instead of convincing Gov. Odell and the other Republican leaders that Mr. Root could not be persuaded under any circumstances to accept the nomination for Governor, the effect of the letter was to create the impression that a united demand from his party would find Mr. Root responsive to the call of duty. It is understood that at their interview to-day Gov. Odell will learn definitely from Mr. Root whether he would decline a unanimous nomination if it were tendered him. If Mr. Root merely stands upon the declaration of his letter that he does not want the nomination, those leaders who believe that Mr. Root is the strongest candidate whom the Republicans could name will proceed to put fresh enthusiasm into his boom, and the prospect seems to be that it would sweep all before it.

When Gov. Odell was asked what the conference had accomplished he said: "We discussed propositions and reached conclusions." As to the nature of either the propositions or the conclusions the Governor was reticent, but he admitted that they had to do with the management of the campaign in the State.

While it was the consensus of opinion after Mr. Root's letter had been read, that he could be induced to take the nomination under certain conditions, nevertheless the probability of his positive and final declination was discussed, and the merits of other candidates whose claims would have to be considered in the event of Mr. Root's withdrawal were taken up. Among the available candidates whose merits were discussed were Lieut. Gov. Higgins, ex-Lieut. Gov. Woodruff, Collector Stranahan, Speaker Nixon, Senator George M. Malby, and ex-Mayor Schieren of Brooklyn. Mention was also made of Gen. Anson G. McCook.

ST. LUKE'S HEAD EXPLAINS

Says Drs. Taylor and Kellogg Did Not Break Glass

Superintendent George F. Clover of St. Luke's Hospital made a statement yesterday with reference to the arrest of Drs. Julius Taylor and Henry Kellogg, members of the house staff of that institution. He said:

"Drs. Taylor and Kellogg were coming toward the hospital via One Hundred and Tenth Street from Riverside Drive, when at One Hundred and Tenth Street and Amsterdam Avenue, they stopped to purchase peanuts. In crossing to the peanut stand they passed through the midst of eight or ten young fellows who were singing.

"Shortly after they heard glass breaking, and

EXAMINATION PAPERS STOLEN

Three College Students Suspected

Butler Leaves Key in Professor's Door—Passing Student Slips in—Leaves no Clew Except a Broken Tip of Lead, a Few Shavings from a Pencil and a Small Ball of Black Clay—Great Detective Unearths Culprit Through Marvelous Deductions.

The examination would have been delayed and the reputation of the University damaged had not the knotty problem which so seriously disturbed the excitable Professor's quiet life been solved by the shrewd SHERLOCK HOLMES in less than twenty-four hours.

How he does it is fully told by himself in the October Household Number of *Collier's Weekly*. For sale throughout the month at all news stands, 10 cents.

ARREST 32 SPECIAL OFFICERS

Omaha Sheriff and 150 Deputies Take Full Charge of Stockyards

OMAHA, July —Sheriff Power to-day swore in 150 deputies and went to South Omaha, where he took charge of the stockyards strike situation.

Sheriff Power arrested as vagrants thirty-two men brought here from Colorado to act as special officers. The authorities say the men will be forced to return to Colorado.

The packers have prepared affidavits declaring the inability of the local authorities to protect life and property and ask that the militia be called out. To-day, at the instance of the packers, warrants for the arrest of 105 strikers were sworn out, charging violence.

Another lot of warrants, issued at the instance of the strikers, bear the names of Robert C. Rowe of Armour's, Michael R. Murphy of Cudahy's, L. B. Patterson of Swift's, and Charles K. Urquhart of the Omaha Packing Company, who are charged with having imported men into the State to do police duty.

Constantyn J. Smyth, the strikers' attorney, said:

"The packers had forty members of a Colorado gang known as Reno's thugs and gun-men. Last

WINTON



If you do not investigate the **WINTON** before you buy a motor car you will not get its equal. Completely equipped, **$2,500** f. o. b. Cleveland; without top, **$2,300.** Prompt deliveries.

THE WINTON MOTOR CARRIAGE CO., Cleveland, O., U.S.A.

Orient Tonneau Car

Price $525



Speed twenty miles per hour. Will climb all ordinary grades. The best car for the price in the world.
Write for catalogue

WALTHAM MANUFACTURING CO.
Waltham, Mass.



CHARTER

GAS and GASOLINE
For All Work.
Stationaries, Portables, Hoisters, Pumpers, Sawing & Boat Outfits.
Send for Catalogue and Testimonials
State Your Power Needs.
CHARTER GAS ENGINE CO., Box 148, STERLING, ILL.

Large Contracts Solicited

Our factories are so numerous and so completely equipped that we can compete successfully on large contracts—such as sheet steel stampings, general manufacturing and machine shop work.

Pope Manufacturing Co.
21 Park Row, New York City

What Is Daus' Tip-Top?

TO PROVE that Daus' "Tip Top" is the best and simplest device for making **100 copies** from pen-written and **50 copies** from typewritten original, we will ship complete duplicator, cap size, **without deposit,** on **ten (10) days' trial.**
Price $7.50 less trade discount of 33⅓ per cent, or $5 Net

The Felix A. B. Daus Duplicator Co., Daus Bldg., 111 John St., New York

Scales All varieties at lowest prices. Best Railroad Track and Wagon or Stock Scales made. Also 1000 useful articles, including Safes, Sewing Machines, Bicycles, Tools, etc. save Money. Lists Free. CHICAGO SCALE CO., Chicago, Ill.

Our Microscopes, Microtomes, Laboratory Glassware, Chemical Apparatus, Chemicals, Photo Lenses and Shutters, Field Glasses, Projection Apparatus, Photo-Micro Cameras are used by the leading Lab-oratories and Gover'nt Dep'ts Round the World

MICRO SCOPES

Catalogs Free

Bausch & Lomb Opt. Co.
ROCHESTER, N. Y.
New York Chicago Boston Frankfurt, G'y

HOROLOGICAL DEPARTMENT
BRADLEY POLYTECHNIC INSTITUTE



Formerly Parsons Horological Institute
PEORIA, ILLINOIS
LARGEST and BEST WATCH SCHOOL in AMERICA
We teach Watch Work, Jewelry, Engraving, Clock Work, Optics. Tuition reasonable. Board and rooms near school at moderate rates.
Send for Catalog of Information.

CRUDE ASBESTOS
DIRECT FROM MINES

PREPARED ASBESTOS FIBRE for Manufacturers use

R. H. MARTIN,
OFFICE, ST. PAUL BUILDING
220 B'way, New York.

JESSOP STEEL CO.
MFRS OF CRUCIBLE SHEET STEEL
WASHINGTON, PA.



WONDER of the AGE

Jackson's Patent High Head Centrifugal Pump. Guaranteed to raise water 1,000 feet or more and maintain an efficiency of from 70% to 84%. First choice of the Engineer for City Water Works, Draining Mines, Hydraulicing, Irrigating and Reclaiming Land. **Beats the world for Durability, Economy and Efficiency.** *Catalogue No. 6.*

BYRON JACKSON MACHINE WORKS, - - SAN FRANCISCO, CAL.

OUR NEW SKELETON WATCH

New England WATCHES

READY FOR DELIVERY OCTOBER 1st

Our New Skeleton Watch not only shows you the time, but how time is made. Accurate time at that. Ready for delivery October 1st. For sale by all Jewelers.

THE NEW ENGLAND WATCH CO., 37 & 39 Maiden Lane, New York
7 Snow Hill, London, England

FORD'S WEATHER STRIP

YOU SEE AT A GLANCE

that **Ford's Weather Strip** is different from all others. Its peculiar construction renders it absolutely air-tight. It is made entirely of Southern pine, treated with oil, and will neither wear out nor rust out. It is inexpensive and easily applied to all doors and windows. Will not warp, shrink or bind. Send for FREE sample and prices.

Agents Wanted Everywhere

CHARLES J. FORD
No. 225 Senior Building, Holyoke, Mass.

ELECTRICAL FURNACES ARE fully described in SCIENTIFIC AMERICAN SUPPLEMENTS **1107, 1374, 1375, 1419, 1420, 1421, 1077.** Price 10 cents each, by mail. Munn & Company, 361 Broadway, New York City, and all newsdealers.

A BLESSING TO ALL WHO MUST STAND ON THEIR FEET

MILLER'S
Famous Arch Supporters
can be worn in the shoe you have on. Light weight, does not hurt, ventilated and durable, made by hand with aluminum. Holds arch in place, prevents flat foot, takes pressure off ball and heel and gives immediate relief. No more aching feet. **Price $3.50.**



Edmund W. Miller, 1A Somerset Street, Boston, Mass.
Manufacturer of Miller's "Reform" Boots and Shoes

PALMER MOTORS

MARINE and STATIONARY
2 and 4 CYCLE
are no experiment, as they are in successful operation in all parts of the world.
Launches in stock.
Send for Catalogue.



PALMER BROS.,
Cos Cob, Conn.
New York Office, 136 Liberty St.

CADILLAC

Model B, 1904,
Complete, $900.
Without Tonneau, $800.

A man drove a Cadillac up the steps of the Capitol at Washington. He paid for his fun, but it was worth the money to know the power of the Cadillac.

Write for illustrated booklet N which tells about the Cadillac and gives address of a nearby agency where it may be seen and tried.

Cadillac Automobile Co., Detroit, Mich.
Member Association of Licensed Automobile Manufrs.



BRISTOL'S RECORDING INSTRUMENTS.
Pressure Gauges, Vacuum Gauges, Voltmeters, Amperemeters, Wattmeters, and Thermometers, make continuous records *Day and Night.* Will pay for themselves. Every instrument fully guaranteed and sent on 30 days' trial. ☞ *Send for Circulars and Specimen Chart.*
The Bristol Company, Waterbury, Conn.
SILVER MEDAL PARIS EXPOSITION.

"The most satisfactory cement Mill made."

THE GRIFFIN MILL

THE GRIFFIN MILLS which we have sold for this purpose will produce 50,000 barrels of Portland cement a day, or over 15,000,000 barrels a year. No other mill approaches such a record, because no other mills begin to work as cheaply or as satisfactorily. Write for our illustrated descriptive catalogue.

BRADLEY PULVERIZER CO. BOSTON, NEW YORK, CHICAGO.

THE "BEST" LIGHT

is a portable 100 candle power light costing only two cents per week. Makes and burns its own gas. Brighter than electricity or acetylene and cheaper than kerosene. **No Dirt. No Grease. No Odor.** Over 100 styles. Lighted instantly with a match. Every lamp warranted. **Agents Wanted Everywhere.**

THE "BEST" LIGHT CO.
87 E. 5th St., Canton, O.
Owners of Original Patents.

Olds Gas and Gasoline Engines
are backed by a broad guarantee that absolutely protects the purchaser against faults or breakage due to construction or material used.
Stationary Engines, 2 to 100 h. p.
Portable Engines, 8 to 18 h. p.
Our new illustrated catalog will be sent on request.
OLDS GASOLINE ENGINE WORKS
216 River St., Lansing, Mich.

Racine Brass & Iron Co.

RACINE, WIS.

Iron, Bronze & Aluminum Castings for Automobiles

Water Jacket Cylinders a Specialty — Correspondence Solicited

Volt Ammeters

Pocket size, but large enough for accuracy and practical use. Various ranges for testing batteries electric light, telephone and other circuits etc. Also, Voltmeters and Ammeters for general measurements.
☞ *Send for Circular.*

L. M. PIGNOLET,
80 Cortlandt St., New York, N.Y.

MAGIC LANTERNS

Stereopticons and Moving Picture Machines, all sizes, all prices. Views illustrating timely subjects. Fine thing for Church and Home Entertainments. Men with small capital **make money** giving public exhibitions. Illustrated catalogue free.
MFG. OPTICIAN,
McALLISTER, 49 Nassau St., New York.



We have complete Outfits for . . . .

COMPLETE 20 LIGHT OUTFIT $450.

YOUR OWN ELECTRIC LIGHTS

Any size place, summer homes, launches, yachts, etc. Every detail included; very best material; practical. So simple no electrician required. **Light All the Time,** as storage battery included. **Gas, Gasoline** or **Steam** engines used give plenty of power for pumping water, sawing wood, refrigeration, etc. For our new 56-page Catalogue describing over 100 different outfits, address

ELECTRIC DEPARTMENT
RICHARDSON ENGINEERING CO., Hartford, Conn.

VACCINATION and Life Insurance are alike in one particular: Vaccination makes a man immune from smallpox, life insurance makes his family immune from poverty

Can you spare five minutes to read our little booklet, "The How and The Why"? We will gladly mail you a copy.

PENN MUTUAL LIFE INS. CO.
PHILADELPHIA

Medart Boat Building Materials



make possible the construction of high-class boats by amateurs at a small cost. Send stamp for catalog.

FRED MEDART
3545 DeKalb Street
St. Louis, Mo.

HELMET OIL LUBRICATES ANYTHING.
IF YOU HAVE A HOT BOX TRY IT. C. H. BESLY & CO. CHICAGO, ILL. U.S.A.
15 to 21 Clinton Street.

BE LAZY

—and take it easy, as you can do by wearing the **"Lightweight" PRESIDENT SUSPENDER**—two ounces. Any store 50c and $1.00 or postpaid for choicest patterns.
THE C. A. EDGARTON MFG. CO., Box 310, Shirley, Mass.